WEST


Print Selection

Help Clear	Cancel	Print	Print First Page
------------	--------	-------	------------------

Select?	Document ID	Section(s)		ļ	Database
Ŋ	WO009937299A	all	all	* 51	JPAB,EPAB,DWPI
Ŋ	WO000188103A	all ·	all	* 122	JPAB,EPAB,DWPI
V	US006303301B	all	all	46	JPAB,EPAB,DWPI
	US006472154	all	all	* 588	USPT

Note: Print requests for more than 49 pages are denoted by '*' and are in red.

Building	Room	Printer	
cm1 ▼	9e12 ▼	gbefptr ▼	
ganusussessesses		ogout	



L40: Entry 1 of 2 File: USPT Oct 29, 2002

DOCUMENT-IDENTIFIER: US 6472154 B1

TITLE: Polymorphic repeats in human genes

Detailed Description Paragraph Table (170): L26953 3'UTR 4.16 2797 CAAAAA L27560 UNKNOWN 6 3438 GTT L27560 UNKNOWN 14 3658 A L27745 CDS 7 1067 AG L30117 UNKNOWN 79 652 T L31881 3'UTR 4.59 1481 CCCAG L32832 CDS 2.93 2092 GAGGAGGAGGAAGAA (SEQ ID NO:254) L32832 CDS 10 5866 CAA L32832 CDS 7.66 10261 CAG L32832 CDS 7 2985 GGC L33075 3'UTR 16 6723 A L33243 3'UTR 9 13947 TG L33477 3'UTR 10 3557 CA L34357 CDS 6 590 GGC L34408 UNKNOWN 15 706 A L35592 UNKNOWN 14 1577 AC L36140 5'UTR 24 1 T L36642 3'UTR 4 4333 CAAAA L36983 3'UTR 5.66 3368 CTC L37112 CDS 3.5 1257 CCTCAG L37198 UNKNOWN 23 7 A L38707 CDS 3.83 146 CCGGGG L38951 3'UTR 31 3653 A L38951 3'UTR 13 3736 T L38961 3'UTR 22 2283 T L39064 CDS 8.33 1504 AGC L39833 3'UTR 13 1809 A L39833 3'UTR 13 2713 T L40377 5'UTR 6.66 33 GCG L40377 5'UTR 6.33 51 GCA L40392 3'UTR 14 2209 T L40992 CDS 6 18 CAG L40992 BORDER 5.66 0 CAG L41690 CDS 6 620 GCC L41887 3'UTR 14 2046 A L41919 CDS 8 440 GGC L42025 5'UTR 5.66 1 GGC L42243 3'UTR 7 3934 GT L42243 3'UTR 16 2217 T L42243 3'UTR 15 1137 T L42243 3'UTR 12 2874 A L44505 UNKNOWN 13 309 A L46353 5'UTR 2.8 2094 CACACTCACA (SEQ ID NO:255) L46353 5'UTR 19 2401 TC L46353 5'UTR 9.5 2381 TC L46353 5'UTR 6.5 1394 TG L46353 5'UTR 13 264 A L46353 3'UTR 5 3378 TGGGG L48796 UNKNOWN 15 147 A L49169 3'UTR 6 1661 GAG L49169 3'UTR 6.5 2689 CT L49380 CDS 6 1771 GCC L76702 CDS 4.33 301 CAGCCC L76703 3'UTR 12 2219 A L77864 CDS 5.66 571 GAG L78833 3'UTR 18 6465 A M10901 3'UTR 18 3217 A M11220 3'UTR 5.5 693 TATT M11353 3'UTR 16 817 A M11722 5'UTR 14 216 G M12783 UNKNOWN 3.85 296 CGCAGCT M12783 UNKNOWN 7.5 3612 AC M12783 UNKNOWN 16 238 A M13232 3'UTR 6.5 1889 CA M13452 3'UTR 8.5 2030 GA M13452 3'UTR 15 1745 A M13903 CDS 5 528 GAGCAGCAGGAGGGGCAGCTGGAGCTCCCA (SEQ ID NO:256) M13903 CDS 3.43 679 AGCAGCAGGAGGGGCAGCTCGGAGCTCTCTG (SEQ ID NO:257) M14058 3'UTR 12 2221 A M14083 3'UTR 7 2667 AT M14170 CDS 7.66 30 TGC M14219 3'UTR 13 1660 T M14630 UNKNOWN 12 538 A M14648 3'UTR 10.66 3535 TTG M14745 3'UTR 7.5 897 AC M14764 5'UTR 3.6 36 AGCGC M14764 3'UTR 7 2444 CA M15169 UNKNOWN 13 2852 C M15353 3'UTR 18 847 T M16276 UNKNOWN 12 1368 A M16505 UNKNOWN 6.5 2611 AC M16505 UNKNOWN 18 3645 A M16801 CDS 3.83 2295 CCCCCA M16937 3'UTR 2.7 865 AAACAAA (SEQ ID NO:258) M16938 5'UTR 7 172 TG M16965 CDS 2.94 115 TACCTTTGTTGGAAGACG (SEQ ID NO:259) M16965 CDS 2.5 591 CTGGAAGACATGGATTTT (SEQ ID NO:260) M18533 UNKNOWN 5.25 12297 TTGA M18533 UNKNOWN 8.5 11725 AC M18728 UNKNOWN 12 2266 A M19154 3'UTR 7.33 2117 ACA M19961 5'UTR 13 0 T M20681 UNKNOWN 13 2233 T M20681 UNKNOWN 13 3705 A M21305 CDS 6.4 56 TGGAA M21305 BORDER 3.8 0 ATGGA M21574 3'UTR 14 4503 T M23114 3'UTR 3.8 3839 CACCC M23263 CDS 20.33 1884 GGC M23263 CDS 17 701 GCA M24069 CDS 7.66 229 CCA M24283 3'UTR 9 2742 GT M24486 3'UTR 16 2350 T M24902 3'UTR 12.5 2338 AATA M25667 3'UTR 9 1153 CT M25667 3'UTR 17 973 A M28170 3'UTR 17 1816 GT M28713 5'UTR 6.66 253 CGG M29053 3'UTR 3.8 1579 AAAAT M29204 UNKNOWN 21 288 A M29873 3'UTR 6.5 1687 TA M29874 3'UTR 7 1688 AT M29874 3'UTR 15 2510 T M30448 3'UTR 26 887 A M31165 BORDER 12 900 A M31523 3'UTR 12 2316 T M31525 3'UTR 6.5 1037 AC M31682 3'UTR 8 1601 AG M31682 3'UTR 6.5 1886 TG M31732 3'UTR 15 1474 C M31899 CDS 5.66 869 GAA M31932 3'UTR 13 1430 T M32315 3'UTR 7.75 1814 TTTG M32315 3'UTR 6.5 3589 TG M32315 3'UTR 12 2368 A M34041 CDS 6.66 903 GAG M34309 5'UTR 6.S 4 CA M34539 3'UTR 12 1120 T M35531 3'UTR 6.25 2068 TTAT M35531 3'UTR 18 1752 T M35663 3'UTR 18 2056 T M36089 UNKNOWN 17 2462 AC M36542 3'UTR 18 1886 A M36711 3'UTR 6.66 1494 GCC M36820 3'UTR 6.25 540 TATT M36860 CDS 3.66 950 CAGCTG M37981 CDS 6.33 113 GCT M54915 5'UTR 3.8 246 CAGCA M54915 5'UTR 9 45 GCA M54915 3'UTR 5.25 2191 TATT M54927 3'UTR 14 2476 A M55047 3'UTR 22.5 2095 GT M55053 3'UTR 12 1915 T M55172 CDS 7.96 3238 CTGCCCCTGGAGTAGAGGACATCAGCGGGCTTCCTTCTG GAGAAGTTCTAGAGACCG (SEQ ID NO:261) M55172 CDS 5.52 2979 GGGCTTCCTTCTGGAGAAGTTCTAGAGACCACTGCCCCT GGAGTAGAGGACATCAGC (SEQ ID NO:262) M55172 CDS 5 3636 GCTGCCCCTGGAGTAGAGGACATCAGCGGGCTTCCTTCT GGAGAAGTTCTAGAGACT (SEQ ID NO:263) M55422 5'UTR 5.66 944 TTG M55542 3'UTR 14 2006 A M55593 5'UTR 7.33 87 GCG M55630 UNKNOWN 22 126 GT M55630 UNKNOWN 12 1538 A M55654 CDS 18.66 466 CAG M55654 CDS 9.66 430 CAG M55654 3'UTR 13 1297 T M55683 3'UTR 12 1203 TG M57627 3'UTR 3.5 1457 AAAAAT M58583 3'UTR 5.66 1354 TTG M59305 5'UTR 4.16 129 CTTTTT M59465 3'UTR 12 3986 A M59499 3'UTR 2.91 2093

TAGCTTCATGAA (SEQ ID NO:264) M59499 3'UTR 15 2248 T M59941 3'UTR 8 2912 AC M60052 CDS 14.33 911 GAT M60052 CDS 8.66 749 GAG M60314 5'UTR 13 637 T M60315 CDS 7 493 AGC M60626 3'UTR 13 1206 A M61108 3'UTR 12 3880 TG M61108 3'UTR 14 4060 T M61877 5'UTR 11.5 123 TC M61877 5'UTR 12 45 T M61877 3'UTR 17.5 7539 GT M62302 UNKNOWN 5.66 1799 GCG M62626 5'UTR 3.6 658 CCCCT M62831 3'UTR 4.75 1112 TTTG M63175 3'UTR 24 1503 T M64347 3'UTR 8 2317 TG M64347 3'UTR 6.5 2831 AT M64716 5'UTR 16 0 T M64930 UNKNOWN 14 $\overline{3427}$ A M64936 UNKNOWN 50 3307 A M65131 UNKNOWN 28 2770 A M65290 3'UTR 4.75 2256 TTTA M68520 3'UTR 17 2047 T M69013 3'UTR 12 1386 T M73047 3'UTR 22 4250 T M73531 3'UTR 19 1757 T M73547 3'UTR 26.5 1412 AC M73746 CDS 5.66 73 GCT M74047 3'UTR 19 881 AT M74047 3'UTR 13 1966 T M74491 3'UTR 7 2744 TG M74491 3'UTR 6.5 1124 CT M74525 5'UTR 11.66 296 CGG M74525 5'UTR 12 381 T M74719 5'UTR 7.66 37 GGC M76558 CDS 3.S 2987 GGAAGA M76558 BORDER 7.66 509 GAT M76729 CDS 6.33 294 GCT M77140 3'UTR 12 461 T M77235 3'UTR 7 6773 CA M77498 CDS 3.73 447 GGTGGTTCTGGTGGT (SEQ ID NO:265) M77698 CDS 6 446 CCA M77698 CDS 5.66 366 GAG M77698 3'UTR 13 2018 A M77698 3'UTR 12 1641 A M80482 CDS 3.66 243 GGGCGCGGG M80899 3'UTR 7.5 3857 AT M81601 5'UTR 7.66 0 GCC M83216 CDS 3 1182 GGAGGAAGAGAGAGAGGAGAGGAGAGGAT AAA (SEQ ID NO:266) M83738 3'UTR 9 2798 TG M83751 CDS 8 256 GGA M84424 3'UTR 8.5 1341 AC M84739 5'UTR 14 25 C M85169 3'UTR 12 1712 T M85590 UNKNOWN 17 0 T M85670 UNKNOWN 13 227 A M86400 3'UTR 18 1632 T M86406 5'UTR 3.57 71 CGCCCGC M86406 3'UTR 6.5 2952 GA M86699 5'UTR 15 8 T M87503 CDS 7 574 AGC M87503 3'UTR 13 1400 T M88108 3'UTR 12 1749 A M88282 3'UTR 7.75 4728 AAAG M88282 3'UTR 16 4715 A M89796 3'UTR 23 2068 A M89796 3'UTR 14 1205 T M90391 CDS 6.66 694 CCT M90656 5'UTR 9.66 55 GGA M91463 3'UTR 23 2202 T

WEST Search History

DATE: Saturday, January 18, 2003

Set Name side by side	Query	Hit Count	Set Name result set
DB=JPA	AB,EPAB,DWPI; PLUR=NO; OP=ADJ		
L44	L43 and (l27 or l26 or l25)	5	L44
L43	Golub[in[or Lander[in] or Pomeroy[in] or Tamayo[in]	441	L43
DB=US	PT; PLUR=NO; OP=ADJ		
L42	L39 and 126	0	L42
L41	L39 and l27	0	L41
L40	M64347 or M64347?at	2	L40
L39	6303301[pn] or 6020135[pn]	2	L39
DB=JPA	AB,EPAB,DWPI; PLUR=NO; OP=ADJ		
L38	M64347 or M64347?at	0	L38
L37	L36 and M64347	0	L37
L36	6020135[pn]	1	L36
L35	L33 and M64347\$2	0	L35
L34	L33 and M64347	0	L34
L33	6303301[pn]	1	L33
L32	L31 or l30	4	L32
L31	L29 and l27	1	L31
L30	L29 and l26	3	L30
L29	L28 or l25	78	L29
L28	cek2 or (cek adj 2)	0	L28
L27	(brain or cerebral or (choroid adj plexus) or cerebellum or hypothalmic) same (tumor\$1 or tumour\$1 or cancer\$1 or cancerous or neoplas\$3 or carcinoma\$1 or teratoma\$1 or papilloma\$1)	4963	L27
L26	glioma\$1 or glioblastoma\$1 or medulloblastoma\$1 or neurocytoma\$1 or pinealoma\$1 or astrocytoma\$1 or ependymona\$1 or craniopharyngioma\$1	1273	L26
L25	FGFR3 or (FGF adj R3) or (fibroblast adj growth adj factor adj receptor)	78	L25
DB=US	PT; PLUR=NO; OP=ADJ		
L24	L20 and 115	0	L24
L23	L20 and 113	0	L23
L22	L20 and 110	. 0	L22
L21	L20 and 110	0	L21

L20	Golub[in[or Lander[in] or Pomeroy[in] or Tamayo[in]	234	L20
L19	L18 and 110	1	L19
L18	L17 or l16	343	L18
L17	L13[ti,ab]	251	L17
L16	L15[ti,ab]	105	L16
L15	glioma\$1 or glioblastoma\$1 or medulloblastoma\$1 or neurocytoma\$1 or pinealoma\$1 or astrocytoma\$1 or ependymona\$1 or craniopharyngioma\$1	3714	L15
L14	glioma\$1 or glioblastoma\$1 or medulloblastoma\$1 or neurocytoma\$1 or pinealoma\$1 or astrocytoma\$1 or ependy!mona\$1 or craniopharyngioma\$1	3714	L14
L13	(brain or cerebral or (choroid adj plexus) or cerebellum or hypothalmic) same (tumor\$1 or tumour\$1 or cancer\$1 or cancerous or neoplas\$3 or carcinoma\$1 or teratoma\$1 or papilloma\$1)	9201	L13
L12	brain same (tumor\$1 or tumour\$1 or cancer\$1 or cancerous or neoplas\$3 or carcinoma\$1 or teratoma\$1 or papilloma\$1)	8008	L12
L11	L10[ti.ab]	0	L11
L10	cek2 or (cek adj 2) or FGFR3 or (FGF adj R3) or (fibroblast adj growth adj factor adj receptor adj (3 or III))	59	L10
L9	cek2 same (tumor\$1 or tumour\$1 or cancer\$1 or cancerous or neoplas\$3 or carcinoma\$1 or teratoma\$1 or papilloma\$1 or glioma\$1 or glioblastoma\$1)	3	L9
L8	L7 and @ad<20010131	3	L8
L7	L6 same (tumor\$1 or tumour\$1 or cancer\$1 or cancerous or neoplas\$3 or carcinoma\$1 or teratoma\$1 or papilloma\$1 or glioma\$1 or glioblastoma\$1)	3	L7
L6	cek or (cek adj (2 or II))	62	L6
L5	L4 or l3	16	L5
L4	L2 and @prad<20010131	6	L4
L3	L2 and @ad<20010131	14	L3
L2	L1 same (tumor\$1 or tumour\$1 or cancer\$1 or cancerous or neoplas\$3 or carcinoma\$1 or teratoma\$1 or papilloma\$1 or glioma\$1 or glioblastoma\$1)	16	L2
L1	FGFR3 or (FGF adj R3) or (fibroblast adj growth adj factor adj receptor adj (3 or III))	52	L1

END OF SEARCH HISTORY

WEST	
Generate Collection P	rint

L5: Entry 11 of 16

File: USPT

Apr 10, 2001

DOCUMENT-IDENTIFIER: US 6214795 B1

TITLE: Peptide compounds useful for modulating FGF receptor activity

DATE FILED (1): 19961112

Brief Summary Text (4):

The FGFs mediate their effects by binding to high affinity cell surface receptors (reviewed in Johnson and Williams (1992) Adv. Cancer Res. 60:1-41). Four distinct FGF receptors have been identified: FGFR1 (also known was Flg, bFGFR, Cekl or N-bFGFR) (Lee et al. (1989) Science 245:57-60; Dionne et al. (1990) EMBO J. 9:2685-2692; Johnson et al. (1990) Mol. Cell. Biol. 10:4728-4736; Eisemann et al. (1991) Oncogene 6:1195-1202; Hou et al. (1991) Science 251:665-668), FGFR2 (also known as Bek, Cek3, K-sam, TK14, TK25 or KGFR) (Dionne et al. (1990) EMBO J. 9:2685-2692; Hattori et al. (1990) Proc. Natl. Acad. Sci. USA 87:5983-5987; Miki et al. (1991) Science 251:72-75; Saiki et al. (1988) Science 239:487-491; Pasquale (1990) Proc. Natl. Acad. Sci. USA 87:5812-5816; Houssaint et al. (1990) Proc. Natl. Acad. Sci. USA 87:8180-8184; Champion-Arnaud et al. (1991) Oncogene 6:979-987; Crumley et al. (1991) Oncogene 6:2255-2262; Raz et al. (1991) Oncogene 6:753-760; Sato et al. (1991) Oncogene 6:1279-1283), FGFR3 (also known as Cek2) (Keegan et al. (1991) Proc. Natl. Acad. Sci. USA 88:1095-1099) and FGFR4 (Partanen et al. (1991) EMBO J. 10:1347-1354).

626839/ 4 6ram

Proc Natl Acad Sci U S A 1991 Feb 15;88(4):1095-9

Related Articles,

Links

Isolation of an additional member of the fibroblast growth factor receptor family, FGFR-3.

Keegan K, Johnson DE, Williams LT, Hayman MJ.

Department of Microbiology, State University of New York, Stony Brook 11794.

The fibroblast growth factors are a family of polypeptide growth factors involved in a variety of activities including mitogenesis, angiogenesis, and wound healing.

Fibroblast growth factor receptors (FGFRs) have previously been identified in chicken, mouse, and human and have been shown to contain an extracellular domain

with either two or three immunoglobulin-like domains, a transmembrane domain, and a cytoplasmic tyrosine kinase domain. We have isolated a human cDNA for

another tyrosine kinase receptor that is highly homologous to the previously described FGFR. Expression of this receptor cDNA in COS cells directs the expression

of a 125-kDa glycoprotein. We demonstrate that this cDNA encodes a biologically active receptor by showing that human acidic and basic fibroblast growth factors

activate this receptor as measured by 45Ca2+ efflux assays. These data establish the existence of an additional member of the FGFR family that we have named FGFR-3.

	WEST	
Ľ	£	

L5: Entry 15 of 16

File: USPT

Jul 21, 1998

DOCUMENT-IDENTIFIER: US 5783683 A

TITLE: Antisense oligonucleotides which reduce expression of the FGFRI gene

<u>DATE FILED</u> (1): 19950110

Drawing Description Text (10):

FIG. 9 shows an RT-PCR Southern Blot of FGFR1, FGFR3, and FGFR4 demonstrating the selective reduction of FGFR1 mRNA following treatment of glioblastoma cells with the antisense molecules of the invention.

<u>Detailed Description Text</u> (122):

mRNA was analyzed as described above with the exception that both FGFR1, FGFR3 and FGFR4 mRNA were studied in this particular work. SNB-19 glioblastoma cells were plated at 1.times.10.sup.5 cells per 100 mm dish in serum-supplemented medium. Eighteen hours later the cells were converted to serum-free medium containing FGFR1.alpha. antisense oligonucleotide (R1AS.alpha., 30 .mu.m) or FGFR1.alpha. antisense reverse control oligonucleotide (R1.alpha.RC, 30 .mu.m). Non-treated cells (NT) were run as a control. Cells were treated for three consecutive days with oligonucleotide. Cells were scraped on day 7 and mRNA and cDNA were purified and synthesized respectively. Using cDNA from each of the three different treatments, PCR was used to amplify cDNA for FGFR1, FGFR3, and FGFR4 receptors. SNB-19 cells do not produce FGFR2.

1



"Brain Neo	plasms"[MES	H] AND "Receptors, Fibroblast Growth Factor" Search Search Results History Locker Preferences			
New Search	Results				
Overview What's New Help		items 1 - 20 of 25 found Download or Display Deselect Deselect All			
Other NLM	Page 1 of	2 Jump to Pick A Collection ▼			
Resources Ordering Info. Clinical Alerts ClinicalTrials.gov HSTAT LOCATORplus MEDLINEplus	Expand Related Articles	Subcellular localization of basic fibroblast growth factor and fibrobla growth factor receptor 1 in pituitary adenomas. Fukui S, Otani N, Nawashiro H, Yano A, Nomura N, Miyazawa T, Ohnul A, Tsuzuki N, Katoh H, Ishihara S, Shima K. Brain Tumor Pathol. 2002;19(1):23-9. PMID: 12455885 [PubMed - indexed for MEDLINE] From PubMed			
PubMed TOXNET	Expand Related Articles	Autocrine signaling through Ras regulates cell survival activity in glioma cells: potential cross-talk between Ras and the phosphatid 3-kinase-Akt pathway. Sakata K, Kato S, Fox JC, Shigemori M, Morimatsu M. J Neuropathol Exp Neurol. 2002 Nov;61(11):975-83. PMID: 12430714 [PubMed - indexed for MEDLINE] From PubMed			
	Expand Related Articles	Fibroblast growth factor receptor 4 is a target for the zinc-finger transcription factor Ikaros in the pituitary. Yu S, Asa SL, Ezzat S. Mol Endocrinol. 2002 May;16(5):1069-78. PMID: 11981041 [PubMed - indexed for MEDLINE] From PubMed			
	Expand Related Articles	Fibroblast growth factor receptor (FGFR) 4 correlated with the malignancy of human astrocytomas. Yamada SM, Yamada S, Hayashi Y, Takahashi H, Teramoto A, Matsumc Neurol Res. 2002 Apr;24(3):244-8. PMID: 11958417 [PubMed - indexed for MEDLINE] From PubMed			
	5 T Expand Related Articles	Antitumor activity of fibroblast growth factors (FGFs) for medulloblastoma may correlate with FGF receptor expression and tu variant. Duplan SM, Theoret Y, Kenigsberg RL. Clin Cancer Res. 2002 Jan;8(1):246-57.			

	PMID: 11801566 [PubMed - indexed for MEDLINE] From PubMed
Expand Related Articles	Targeted expression of a human pituitary tumor-derived isoform of I receptor-4 recapitulates pituitary tumorigenesis. Ezzat S, Zheng L, Zhu XF, Wu GE, Asa SL. J Clin Invest. 2002 Jan;109(1):69-78. PMID: 11781352 [PubMed - indexed for MEDLINE] From PubMed
7 Expand Related Articles	Pituitary adenomas in man and mouse: oncogenic potential of a trunfibroblast growth factor receptor 4. Low MJ. J Clin Invest. 2002 Jan;109(1):15-6. No Abstract Available. PMID: 11781345 [PubMed - indexed for MEDLINE] From PubMed
Expand Related Articles	Histological and genetic diagnosis of gliomatosis cerebri: case report. Yamada SM, Hayashi Y, Takahashi H, Teramoto A, Matsumoto K, Yama <i>J Neurooncol</i> . 2001 May;52(3):237-40. PMID: 11519853 [PubMed - indexed for MEDLINE] From PubMed
Expand Related Articles	Inhibition of fibroblast growth factor/fibroblast growth factor recept activity in glioma cells impedes tumor growth by both angiogenesis-dependent and -independent mechanisms. Auguste P, Gursel DB, Lemiere S, Reimers D, Cuevas P, Carceller F, Di S JP, Bikfalvi A. Cancer Res. 2001 Feb 15;61(4):1717-26. PMID: 11245488 [PubMed - indexed for MEDLINE] From PubMed
Expand Related Articles	Correlation of bFGF, FGFR-1 and VEGF expression with vascularity malignancy of human astrocytomas. Bian XW, Du LL, Shi JQ, Cheng YS, Liu FX. Anal Quant Cytol Histol. 2000 Jun;22(3):267-74. PMID: 10872046 [PubMed - indexed for MEDLINE] From PubMed
Expand Related Articles	Suppression of glioblastoma cell growth following antisense oligonucleotide-mediated inhibition of fibroblast growth factor recep expression. Yamada SM, Yamaguchi F, Brown R, Berger MS, Morrison RS. Glia. 1999 Oct;28(1):66-76. PMID: 10498824 [PubMed - indexed for MEDLINE] From PubMed
Expand Related Articles	[Inhibition of fibroblast growth factor receptor 1 expression in human glioblastoma cell contributes to the cell growth suppression] Yamada SM, Yamaguchi F, Morrison RS, Takahashi H, Teramoto A. No To Shinkei. 1998 Dec;50(12):1101-5. Japanese. PMID: 9989355 [PubMed - indexed for MEDLINE] From PubMed

que	Expand Related Articles	Altered expression of fibroblast growth factor receptors in human pituitary adenomas. Abbass SA, Asa SL, Ezzat S. J Clin Endocrinol Metab. 1997 Apr;82(4):1160-6. PMID: 9100589 [PubMed - indexed for MEDLINE] From PubMed
get of	Expand Related Articles	[Expression of fibroblast growth factor receptors (FGFRs) mRNA in human astrocytomas] Yamada SM, Bruner JM, Berger MS, Morrison RS. No To Shinkei. 1996 Apr;48(4):363-70. Japanese. PMID: 8679334 [PubMed - indexed for MEDLINE] From PubMed
	Expand Related Articles	BK1: an FGF-responsive central nervous system-derived cell line. Benvenisty N, Ornitz DM. Growth Factors. 1995;12(1):49-55. PMID: 8527163 [PubMed - indexed for MEDLINE] From PubMed
	Expand Related Articles	Transfection with bFGF sense and antisense cDNA resulting in modification of malignant glioma growth. Redekop GJ, Naus CC. J Neurosurg. 1995 Jan;82(1):83-90. PMID: 7815139 [PubMed - indexed for MEDLINE] From PubMed
	Expand Related Articles	Enhanced expression of the tie receptor tyrosine kinase mesenger RN the vascular endothelium of metastatic melanomas. Kaipainen A, Vlaykova T, Hatva E, Bohling T, Jekunen A, Pyrhonen S, A K. Cancer Res. 1994 Dec 15;54(24):6571-7. PMID: 7987857 [PubMed - indexed for MEDLINE] From PubMed
	Expand Related Articles	Immunohistochemical study for basic fibroblast growth factor and fibroblast growth factor receptor I in pituitary adenomas. Suzui H, Takahashi JA, Fukumoto M, Hashimoto N, Itoh N, Hatanaka M, Kikuchi H. Neurosci Lett. 1994 Apr 25;171(1-2):192-6. PMID: 7916136 [PubMed - indexed for MEDLINE] From PubMed
	Expand Related Articles	Expression of fibroblast growth factor receptor-1 in human glioma an meningioma tissues. Ueba T, Takahashi JA, Fukumoto M, Ohta M, Ito N, Oda Y, Kikuchi H, Hatanaka M. Neurosurgery. 1994 Feb;34(2):221-5; discussion 225-6. PMID: 8177381 [PubMed - indexed for MEDLINE] From PubMed
aux	Expand Related Articles	Differential expression of two fibroblast growth factor-receptor genes associated with malignant progression in human astrocytomas. Yamaguchi F, Saya H, Bruner JM, Morrison RS. Proc Natl Acad Sci U S A. 1994 Jan 18;91(2):484-8. PMID: 8290551 [PubMed - indexed for MEDLINE]

From PubMed

Journal Citations (2 collections searched)

Displaying items 1 - 20 of 25 found

Page 1 of 2

Jump to Collection

Pick A Collection

Contact Us

U.S. National Library of Medicine | National Institutes of Health | Department of Health & Human Services | Freedom of Information Act | Copyright & Privacy



NIM S	31 -	National Library of Medicine
"Brain Neo		H] AND "Receptors, Fibroblast Growth Factor" Search Search Results History Locker Preferences
New Search	Results	
Overview What's New Help		Citations (2 collections searched) items 21 - 25 of 25 found Download or Display Deselect All Download or Display Deselect All
Other NLM	Page 2 of	2 Jump to Pick A Collection ▼
Ordering Info. Clinical Alerts ClinicalTrials.gov HSTAT LOCATORplus MEDLINEplus	Expand Related Articles	Basic fibroblast growth factor and fibroblast growth factor receptor I implicated in the growth of human astrocytomas. Morrison RS, Yamaguchi F, Saya H, Bruner JM, Yahanda AM, Donehow LA, Berger M. J Neurooncol. 1994;18(3):207-16. PMID: 7964981 [PubMed - indexed for MEDLINE] From PubMed
PubMed TOXNET	Expand Related Articles	Identification and characterization of high molecular weight forms of basic fibroblast growth factor in human pituitary adenomas. Li Y, Koga M, Kasayama S, Matsumoto K, Arita N, Hayakawa T, Sato B J Clin Endocrinol Metab. 1992 Dec;75(6):1436-41. PMID: 1464644 [PubMed - indexed for MEDLINE] From PubMed
	Expand Related Articles	Angiogenic activity of the K-fgf/hst oncogene in neural transplants. Brustle O, Aguzzi A, Talarico D, Basilico C, Kleihues P, Wiestler OD. Oncogene. 1992 Jun;7(6):1177-83. PMID: 1375717 [PubMed - indexed for MEDLINE] From PubMed
	Expand Related Articles	Phosphorothioate antisense oligonucleotides against basic fibroblast growth factor inhibit anchorage-dependent and anchorage-independ growth of a malignant glioblastoma cell line. Murphy PR, Sato Y, Knee RS. Mol Endocrinol. 1992 Jun;6(6):877-84. PMID: 1323055 [PubMed - indexed for MEDLINE] From PubMed
gd	Expand Related Articles	Gene expression of fibroblast growth factor receptors in the tissues of human gliomas and meningiomas. Takahashi JA, Suzui H, Yasuda Y, Ito N, Ohta M, Jaye M, Fukumoto M, Y, Kikuchi H, Hatanaka M. Biochem Biophys Res Commun. 1991 May 31;177(1):1-7. PMID: 1645953 [PubMed - indexed for MEDLINE] From PubMed

Journal Citations (2 collections searched) Displaying items 21 - 25 of 25 found

Download or Display

Put in Locker

Deselect ĀĬĬ

Page 2 of 2

Jump to Page

1

Jump to Collection

Pick A Collection

Contact Us

U.S. National Library of Medicine | National Institutes of Health | Department of Health & Human Services | Freedom of Information Act |

Order Documents

Copyright & Privacy

```
M64347. Human novel growt...[gi:182564]
```

Links

LOCUS HUMFGFLR 3829 bp mRNA linear PRI 31-DEC-1994

DEFINITION Human novel growth factor receptor mRNA, 3' cds.

ACCESSION M64347

VERSION M64347.1 GI:182564

KEYWORDS growth factor receptor.

SOURCE Homo sapiens (human)

ORGANISM Homo sapiens

Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

REFERENCE 1 (bases 1 to 3829)

AUTHORS Thompson, L.M., Plummer, S., Schalling, M., Altherr, M.R.,

Gusella, J.F., Housman, D.E. and Wasmuth, J.J.

TITLE A gene encoding a fibroblast growth factor receptor isolated from

the Huntington disease gene region of human chromosome 4

JOURNAL Genomics 11 (4), 1133-1142 (1991)

MEDLINE 92147110

PUBMED 1664411

COMMENT Original source text: Homo sapiens cDNA to mRNA.

FEATURES Location/Qualifiers

source 1..3829

/organism="Homo sapiens"
/db xref="taxon:9606"

/map="4p16.3 D4599"

gene 1..3829

/gene="fgflr"

CDS <1..2196

/gene="fgflr" '

/note="growth factor receptor"

/codon start=1

/protein id="AAA58470.1"

/db_xref="GI:182565"

/translation="KDGTGLVPSERVLVGPQRLQVLNASHEDSGAYSCRQRLTQRVLC
HFSVRVTDAPSSGDDEDGEDEAEDTGVDTGAPYWTRPERMDKKLLAVPAANTVRFRCP
AAGNPTPSISWLKNGREFRGEHRIGGIKLRHQQWSLVMESVVPSDRGNYTCVVENKFG
SIRQTYTLDVLERSPHRPILQAGLPANQTAVLGSDVEFHCKVYSDAQPHIQWLKHVEV
NGSKVGPDGTPYVTVLKTAGANTTDKELEVLSLHNVTFEDAGEYTCLAGNSIGFSHHS
AWLVVLPAEEELVEADEAGSVYAGILSYGVGFFLFILVVAAVTVCRLRSPPKKGLGSP
TVHKISRFPLKRQVSLESNASMSSNTPLVRIARLSSGEGPTLANVSELELPADPKWEL
SRARLTLGKPLGEGCFGQVVMAEAIGIDKDRAAKPVTVAVKMLKDDATDKDLSDLVSE
MEMMKMIGKHKNIINLLGACTQGGPLYVLVEYAAKGNLREFLRARRPPGLDYSFDTCK
PPEEQLTFKDLVSCAYQVARGMEYLASQKCIHRDLAARNVLVTEDNVMKIADFGLARD
VHNLDYYKKTTNGRLPVKWMAPEALFDRVYTHQSDVWSFGVLLWEIFTLGGSPYPGIP
VEELFKLLKEGHRMDKPANCTHDLYMIMRECWHAAPSQRPTFKQLVEDLDRVLTVTST
DEYLDLSAPFEQYSPGGQDTPSSSSSGDDSVFAHDLLPPAPPSSGGSRT"

BASE COUNT 776 a 1100 c 1163 g 790 t

ORIGIN

L 14					
				tggggcccca	
				gccggcagcg	
				catcctcggg	
				gggcccctta	
				ccaacaccgt	
				tgaagaacgg	
				agcagtggag	
				tcgtggagaa	
				ccccgcaccg	
				gcgacgtgga	
				agcacgtgga	
				tcaagacggc	
				tcacctttga	
				atcactctgc	
				cgggcagtgt	
				tggtggcggc	
				ccaccgtgca	
				cgtccatgag	
				ccacgctggc	
				gggcccggct	
				cggaggccat	
				tgctgaaaga	
				tgaagatgat	
				ggcccctgta	
				cgcggcggcc	
				tcaccttcaa	
				cctcccagaa	
				acgtgatgaa	
				agaagacaac	
				gagtctacac	
				cgctgggggg	
				agggccaccg	
				agtgctggca	
				accgtgtcct	
				agtactcccc	
				ttgcccacga	
				ccactggtcc	
		•		cactccccgg	
				gtgtgtgtgt	
				atcttgcctc	
				actggtgctg	
				ggcccacccg ctttgcacca	
				gcagggaagc acctccaggc	
				agatgggagc	
				taaatagatg	
				aaaaggctgg	
				ggcggggcgt	
2001	goodyacc	ccyyyyycac	-994994499	 22-2223626	222222222

```
2941ggagggaggccccaggggtctcacccatgcaagcagaggaccagggctttttctggcacc3001gcagttttgttttaaaactggacctgtatatttgtaaagctatttatgggcccctggcac3061tcttgttccacaccccaacacttccagcatttagctggccacatggcggagagttttaa3121tttttaacttattgacaaccgagaaggttatcccgccgatagagggacggccaagaatg3181tacgtccagcctgccccggagctgagggacccctccaagcctaaaaggttgttaatagt3241tggaggtgattccagtgaagatatttattgtttgcctttttcaggagaattagat3301tctataggattttctattggagatttatttttggacttcaaagcaagctggtatttc3361atacaaattcttctaattgctgttgtcccaggcagggagacggtttccagggaggggcc3421ggccctgtgtgcaggttccgatgttattagatgttacaagtttatatatatcatatata3481taatttatgagttttacaagatgtattgttgtagacttaacacttcttacgcaatgc3541ttctagagttttatagcctggactgctacctttcaaagcttggagggaagccgtgaattc3601agttggttcgttctgtactgttggagccagtgagtggccttgcttgcc3661tgcagggccatggctcagggtggtctcttcttggggccagtcatggtggccagaggg3721tcacccaaaccggcaggtgcgattttgtaaccagcacgaactttccgaaaaaaaaa3781acacctggtgctaacctgaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa
```

//

```
Human novel growth factor receptor mRNA, 3' cds
qi|182564|qb|M64347.1|HUMFGFLR
      Length = 3829
Score = 4551 bits (2296), Expect = 0.0
Identities = 2310/2317 (99%)
Strand = Plus / Plus
       aaggatggcacagggctggtgccctcggagcgtgtcctggtggggccccagcggctgcag 60
Query: 1
        aaggatggcacagggctggtgccctcggagcgtgtcctggtggggccccagcggctgcag 60
Sbjct: 1
       gtgctgaatgcctcccacgaggactccggggcctacagctgccggcagcggctcacgcag 120
Query: 61
        gtgctgaatgcctcccacgaggactccggggcctacagctgccggcagcggctcacgcag 120
Sbjct: 61
Query: 121 cgcgtactgtgccacttcagtgtgcgggtgacagacgctccatcctcgggagatgacgaa 180
        cgcgtactgtgccacttcagtgtgcgggtgacagacgctccatcctcgggagatgacgaa 180
Sbjct: 121
Query: 181 gacggggaggacgaggctgaggacacaggtgtggacacaggggccccttactggacacgg 240
        \tt gacggggacgacgacgacgacacaggtgtggacacaggggccccttactggacacgg~240
Sbjct: 181
Sbjct: 241
Query: 301 tgcccagccgctggcaaccccactccctccatctcctggctgaagaacggcagggagttc 360
        Sbjct: 301 tgcccagccgctggcaaccccactccctccatctcctggctgaagaacggcagggagttc 360
Query: 361 cgcggcgagcaccgcattggaggcatcaagctgcggcatcagcagtggagcctggtcatg 420
        cgcggcgagcaccgcattggaggcatcaagctgcggcatcagcagtggagcctggtcatg 420
Sbjct: 361
Query: 421 gaaagcgtggtgccctcggaccgcggcaactacacctgcgtcgtggagaacaagtttggc 480
        gaaagcgtggtgccctcggaccgcggcaactacacctgcgtcgtggagaacaagtttggc 480
Sbjct: 421
       agcatccggcagacgtacacgctggacgtgctggagcgctccccggcaccggcccatcctg 540
Query: 481
```

Sbjct:	481	agcatccggcagacgtacacgctggacgtgctggagcgctccccgcaccggcccatcctg	540
Query:		caggcggggctgccggccaaccagacggcggtgctgggcagcgacgtggagttccactgc	
Sbjct:	541	caggcggggctgccggccaaccagacggcggtgctgggcagcgacgtggagttccactgc	800
Query:	601	aaggtgtacagtgacgcacagccccacatccagtggctcaagcacgtggaggtgaatggc	
Sbjct:	601	aaggtgtacagtgacgcacagccccacatccagtggctcaagcacgtggaggtgaatggc	660
Query:	661	agcaaggtgggcccggacggcacaccctacgttaccgtgctcaagacggcgggcg	720
Sbjct:	661	agcaaggtgggcccggacggcacaccctacgttaccgtgctcaagacggcgggcg	720
Query:	721	accaccgacaaggagctagaggttctctccttgcacaacgtcacctttgaggacgccggg	780
Sbjct:	721		780
Query:	781	gagtacacctgcctggcgggcaattctattgggttttctcatcactctgcgtggctggtg	840
Sbjct:	781	gagtacacctgcctggcgggcaattctattgggttttctcatcactctgcgtggctggtg	840
Query:	841	gtgctgccagccgaggaggtggtggaggctgacgaggcgggcagtgtgtatgcaggc	900
Sbjct:	841	gtgctgccagccgaggaggctggtggaggctgacgaggcgggcagtgtgtatgcaggc	900
Query:	901	atcctcagctacggggtgggcttcttcctgttcatcctggtggtggcggctgtgaccgtc	960
Sbjct:	901	atcctcagctacggggtgggcttcttcctgttcatcctggtggtggcggctgtgaccgtc	960
Query:		tgccgcctgcgcagnnnnnnaagaaaggcctgggctcccccaccgtgcacaagatctcc	1020
Sbjct:		tgccgcctgcgcagcccccaagaaaggcctgggctccccaccgtgcacaagatctcc	1020
Query:	1021	cgcttcccgctcaagcgacaggtgtccctggagtccaacgcgtccatgagctccaacaca	1080
Sbjct:	1021		1080
Query:	1081	ccactggtgcgcatcgcaaggctgtcctcaggggagggccccacgctggccaatgtctcc	

Sbjct:	1081	ccactggtgcgcatcgcaaggctgtcctcaggggagggccccacgctggccaatgtctcc	1140
Query:	1141	gagctcgagctgcctgccgaccccaaatgggagctgtctcgggcccggctgaccctgggc	1200
Sbjct:	1141	gagetegagetgeetgeetgaeeceaaatgggagetgtetegggeeeggetgaeeetggge	1200
Query:	1201	aagccccttggggagggctgcttcggccaggtggtcatggcggaggccatcggcattgac	1260
Sbjct:	1201	aagccccttggggagggctgcttcggccaggtggtcatggcggaggccatcggcattgac	1260
Query:	1261	aaggaccgggccgccaagcctgtcaccgtagccgtgaagatgctgaaagacgatgccact	1320
Sbjct:	1261	aaggaccgggccgccaagcctgtcaccgtagccgtgaagatgctgaaagacgatgccact	1320
Query:	1321	gacaaggacctgtcggacctggtgtctgagatggagatgatgaagatgatcgggaaacac	1380
Sbjct:	1321	gacaaggacctgtcggacctggtgtctgagatggagatgatgaagatgatcgggaaacac	1380
Query:	1381	aaaaacatcatcaacctgctgggcgcctgcacgcagggcgggc	1440
Sbjct:	1381	aaaaacatcatcaacctgctgggcgcctgcacgcagggcgggc	1440
Query:	1441	gagtacgcggccaagggtaacctgcgggagtttctgcgggcgcgggcgcccccgggcctg	1500
Sbjct:	1441	gagtacgcggccaagggtaacctgcgggagtttctgcgggcgcgggcgcgccccgggcctg	1500
Query:	1501	gactactccttcgacacctgcaagccgcccgaggagcagctcaccttcaaggacctggtg	1560
Sbjct:	1501	gactactccttcgacacctgcaagccgcccgaggagcagctcaccttcaaggacctggtg	1560
Query:	1561	tcctgtgcctaccaggtggcccggggcatggagtacttggcctcccagaagtgcatccac	1620
Sbjct:	1561	tcctgtgcctaccaggtggcccggggcatggagtacttggcctcccagaagtgcatccac	1620
Query:	1621	agggacctggctgcccgcaatgtgctggtgaccgaggacaacgtgatgaagatcgcagac	1680
Sbjct:	1621	agggacctggctgcccgcaatgtgctggtgaccgaggacaacgtgatgaagatcgcagac	1680
Query:	1681	ttcgggctggcccgggacgtgcacaacctcgactactacaagaagacaaccaac	1740

Sbjct:	1681	ttcgggctggcccgggacgtgcacaacctcgactactacaagaagacaaccaac	1740
_		ctccccgtgaagtggatggcgcctgaggccttgtttgaccgagtctacactcaccagagt	
Sbjct:	1741	ctccccgtgaagtggatggcgcctgaggccttgtttgaccgagtctacactcaccagagt	1800
_		gacgtctggtcctttggggtcctgctctgggagatcttcacgctggggggctccccgtac	
-		cccggcatccctgtggaggagctcttcaagctgctgaaggagggccaccgcatggacaag	
Query:	1921	cccgccaactgcacacacgacctgtacatgatcatgcgggagtgctggcatgccgcgcc	1980
Sbjct:	1921		1980
Query:	1981	tcccagaggcccaccttcaagcagctggtggaggacctggaccgtgtccttaccgtgacg	2040
Sbjct:	1981	tcccagaggcccaccttcaagcagctggtggaggacctggaccgtgtccttaccgtgacg	2040
_		tccaccgacgagtacctggacctgtcggcgcctttcgagcagtactccccgggtggccag	
		tccaccgacgagtacctggacctgtcggcgcctttcgagcagtactccccgggtggccag	
-		gacaccccagctccagctcctcaggggacgactccgtgtttgcccacgacctgctgccc	
Query:	2161	ccggccccacccagcagtgggggctcgcggacgtgaagggccactggtccccaacaatgt	2220
Query:	2221	gaggggtccctagcagcccaccctgctgctggtgcacagccactccccggcatgagactc	2280
Sbjct:	2221	gaggggtccctagcagcccaccctgctgctggtgcacagccactccccggcatgagactc	2280
Query:	2281	agtgcagatggagagacagctacacagagctttggtc 2317	

Sbjct: 2281 agtgcagatggagagacagctacacagagctttggtc 2317

NM 000142. Homo sapiens fibr...[gi:13112046]

Links

linear PRI 21-FEB-2001 FGFR3 4093 bp mRNA LOCUS DEFINITION Homo sapiens fibroblast growth factor receptor 3 (achondroplasia, thanatophoric dwarfism) (FGFR3), transcript variant 1, mRNA. ACCESSION NM 000142 NM 000142.2 GI:13112046 VERSION

KEYWORDS

Homo sapiens (human) SOURCE

ORGANISM Homo sapiens

Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

1 (bases 1 to 4093) REFERENCE

Partanen, J., Makela, T.P., Alitalo, R., Lehvaslaiho, H. and Alitalo, K. AUTHORS Putative tyrosine kinases expressed in K-562 human leukemia cells TITLE

Proc. Natl. Acad. Sci. U.S.A. 87 (22), 8913-8917 (1990) JOURNAL

91062389 MEDLINE

PUBMED 2247464

(bases 1 to 4093) REFERENCE

Keegan, K., Johnson, D.E., Williams, L.T. and Hayman, M.J. AUTHORS

Isolation of an additional member of the fibroblast growth factor TITLE receptor family, FGFR-3

Proc. Natl. Acad. Sci. U.S.A. 88 (4), 1095-1099 (1991) **JOURNAL**

MEDLINE 91142118

1847508 PUBMED

3 (bases 1 to 4093) REFERENCE

Thompson, L.M., Plummer, S., Schalling, M., Altherr, M.R., **AUTHORS** Gusella, J.F., Housman, D.E. and Wasmuth, J.J.

A gene encoding a fibroblast growth factor receptor isolated from TITLE the Huntington disease gene region of human chromosome 4

Genomics 11 (4), 1133-1142 (1991) **JOURNAL**

92147110 MEDLINE

PUBMED-1664411

(bases 1 to 4093) REFERENCE

Velinov, M., Slaugenhaupt, S.A., Stoilov, I., Scott, C.I. Jr., AUTHORS Gusella, J.F. and Tsipouras, P.

The gene for achondroplasia maps to the telomeric region of TITLE chromosome 4p

Nat. Genet. 6 (3), 314-317 (1994) JOURNAL

94282083 MEDLINE

8012397 PUBMED

5 (bases 1 to 4093) REFERENCE

Le Merrer, M., Rousseau, F., Legeai-Mallet, L., Landais, J.C., AUTHORS Pelet, A., Bonaventure, J., Sanak, M., Weissenbach, J., Stoll, C., Munnich, A. et al.

A gene for achondroplasia-hypochondroplasia maps to chromosome 4p TITLE JOURNAL Nat. Genet. 6 (3), 318-321 (1994)

MEDLINE 94282084

PUBMED 8012398

REFERENCE 6 (bases 1 to 4093)

AUTHORS Francomano, C.A., Ortiz de Luna, R.I., Hefferon, T.W., Bellus, G.A., Turner, C.E., Taylor, E., Meyers, D.A., Blanton, S.H., Murray, J.C.,

McIntosh, I. et al.

TITLE Localization of the achondroplasia gene to the distal 2.5 Mb of human chromosome 4p

JOURNAL Hum. Mol. Genet. 3 (5), 787-792 (1994)

MEDLINE 94362678

PUBMED 8081365

REFERENCE 7 (bases 1 to 4093)

AUTHORS Perez-Castro, A.V., Wilson, J. and Altherr, M.R.

TITLE Genomic organization of the human fibroblast growth factor receptor 3 (FGFR3) gene and comparative sequence analysis with the mouse Fgfr3 gene

JOURNAL Genomics 41 (1), 10-16 (1997)

MEDLINE 97271550

PUBMED 9126476

REFERENCE 8 (bases 1 to 4093)

AUTHORS Passos-Bueno, M.R., Wilcox, W.R., Jabs, E.W., Sertie, A.L., Alonso, L.G. and Kitoh, H.

TITLE Clinical spectrum of fibroblast growth factor receptor mutations

JOURNAL Hum. Mutat. 14 (2), 115-125 (1999)

MEDLINE 99355711

PUBMED 10425034

COMMENT

REVIEWED REFSEQ: This record has been curated by NCBI staff. The reference sequence was derived from M58051.1 and M64347.1. On Feb 23, 2001 this sequence version replaced gi:4503710. Summary: The protein encoded by this gene is a member of the fibroblast growth factor receptor family, where amino acid sequence is highly conserved between members and throughout evolution. FGFR family members differ from one another in their ligand affinities and tissue distribution. A full-length representative protein would consist of an extracellular region, composed of three immunoglobulin-like domains, a single hydrophobic membrane-spanning segment and a cytoplasmic tyrosine kinase domain. The extracellular portion of the protein interacts with fibroblast growth factors, setting in motion a cascade of downstream signals, ultimately influencing mitogenesis and differentiation. This particular family member binds acidic and basic fibroblast growth hormone and plays a role in bone development and maintenance. Mutations in this gene lead to craniosynostosis and multiple types of skeletal dysplasia. Alternative splicing occurs and additional variants have been described, including those utilizing alternate exon 8 rather than 9, but their full-length nature has not been determined. Transcript Variant: This variant (1) is missing alternatively spliced exon 8 but utilizes alternatively spliced exon 9, resulting in isoform (1) with the IIIc-type C-terminal half of the IgIII domain.

```
COMPLETENESS: complete on the 3' end.
FEATURES
                     Location/Qualifiers
                     1..4093
    source
                     /organism="Homo sapiens"
                     /db xref="taxon:9606"
                     /chromosome="4"
                     /map="4p16.3"
                     1..4093
    gene
                     /gene="FGFR3"
                     /note="synonyms: ACH, CEK2, JTK4"
                     /db xref="LocusID:2261"
                     /db xref="MIM:134934"
                     40..2460
    CDS
                     /gene="FGFR3"
                     /EC number="2.7.1.112"
                     /note="isoform 1 is encoded by transcript variant 1;
                     protein-tyrosine kinase; tyrosylprotein kinase;
                     hydroxyaryl-protein kinase; human tyrosine kinase JTK4"
                     /codon start=1
                     /product="fibroblast growth factor receptor 3, isoform 1
                     precursor"
                     /protein id="NP 000133.1"
                     /db xref="GI:4503711"
                     /db xref="LocusID:2261"
                     /db xref="MIM:134934"
                     /db xref="MIM:134934"
                     /translation="MGAPACALALCVAVAIVAGASSESLGTEQRVVGRAAEVPGPEPG
                     OOEOLVFGSGDAVELSCPPPGGGPMGPTVWVKDGTGLVPSERVLVGPQRLQVLNASHE
                     DSGAYSCRQRLTQRVLCHFSVRVTDAPSSGDDEDGEDEAEDTGVDTGAPYWTRPERMD
                     KKLLAVPAANTVRFRCPAAGNPTPSISWLKNGREFRGEHRIGGIKLRHQQWSLVMESV
                     VPSDRGNYTCVVENKFGSIRQTYTLDVLERSPHRPILQAGLPANQTAVLGSDVEFHCK
                     VYSDAOPHIOWLKHVEVNGSKVGPDGTPYVTVLKTAGANTTDKELEVLSLHNVTFEDA
                     GEYTCLAGNSIGFSHHSAWLVVLPAEEELVEADEAGSVYAGILSYGVGFFLFILVVAA
                     VTLCRLRSPPKKGLGSPTVHKISRFPLKRQVSLESNASMSSNTPLVRIARLSSGEGPT
                     LANVSELELPADPKWELSRARLTLGKPLGEGCFGQVVMAEAIGIDKDRAAKPVTVAVK
                     MLKDDATDKDLSDLVSEMEMMKMIGKHKNIINLLGACTQGGPLYVLVEYAAKGNLREF
                     LRARRPPGLDYSFDTCKPPEEQLTFKDLVSCAYQVARGMEYLASQKCIHRDLAARNVL
                     VTEDNVMKIADFGLARDVHNLDYYKKTTNGRLPVKWMAPEALFDRVYTHQSDVWSFGV
                     LLWEIFTLGGSPYPGIPVEELFKLLKEGHRMDKPANCTHDLYMIMRECWHAAPSQRPT
                     FKOLVEDLDRVLTVTSTDEYLDLSAPFEQYSPGGQDTPSSSSSGDDSVFAHDLLPPAP
                     PSSGGSRT"
                     40..105
    sig peptide
                     /gene="FGFR3"
    mat peptide
                     106..2457
                     /gene="FGFR3"
                     /product="fibroblast growth factor receptor 3, isoform 1"
    misc feature
                     199..369
                     /gene="FGFR3"
                     /note="IG; Region: Immunoglobulin"
                     /db xref="CDD:IG"
```

```
547..744
misc feature
                /gene="FGFR3"
                /note="IG; Region: Immunoglobulin"
                /db_xref="CDD:IG"
                547..729
misc feature
                /gene="FGFR3"
                /note="ig; Region: Immunoglobulin domain"
                /db_xref="CDD:pfam00047"
                817..1098
misc feature
                /gene="FGFR3"
                /note="IG_like; Region: Immunoglobulin like"
                /db_xref="CDD:IG_like"
                841..1077
misc feature
                /gene="FGFR3"
                /note="IG; Region: Immunoglobulin"
                /db xref="CDD:IG"
misc_feature
                841..1062
                /gene="FGFR3"
                /note="ig; Region: Immunoglobulin domain"
                /db xref="CDD:pfam00047"
                1453..2283
misc feature
                /gene="FGFR3"
                /note="pkinase; Region: Eukaryotic protein kinase domain"
                /db xref="CDD:pfam00069"
                1453..2283
misc feature
                /gene="FGFR3"
                /note="TyrKc; Region: Tyrosine kinase, catalytic domain"
                /db xref="CDD:TyrKc"
                1459..2286
misc feature
                /gene="FGFR3"
                /note="S_TKc; Region: Serine/Threonine protein kinases,
                catalytic domain"
                /db xref="CDD:S TKc"
                232
variation
                /gene="FGFR3"
                /allele="G"
                /allele="A"
                /db xref="dbSNP:2305178"
                969^970
misc feature
                /gene="FGFR3"
                /note="Region: location of alternate exon 8"
misc_feature
                970..1114
                /gene="FGFR3"
                /note="Region: alternate exon 9"
                1029
variation
                /gene="FGFR3"
                /allele="T"
                /allele="C"
                /db xref="dbSNP:2305185"
                1115..1305
misc feature
```

```
/gene="FGFR3"
                    /note="Region: alternate exon 10"
    variation
                    /gene="FGFR3"
                    /allele="G"
                    /allele="A"
                    /db xref="dbSNP:3135900"
    variation
                    2642
                    /gene="FGFR3"
                    /allele="T"
                    /allele="C"
                    /db xref="dbSNP:3135901"
    variation
                    2660
                    /gene="FGFR3"
                    /allele="G"
                    /allele="A"
                    /db xref="dbSNP:3135902"
                    2977
    variation
                    /gene="FGFR3"
                    /allele="G"
                    /allele="C"
                    /db xref="dbSNP:3135903"
                    3252
    variation
                    /gene="FGFR3"
                    /allele="T"
                    /allele="C"
                    /db xref="dbSNP:3135904"
    variation
                    3815
                    /gene="FGFR3"
                    /allele="T"
                    /allele="C"
                    /db_xref="dbSNP:2121456"
                    4038..4043
    polyA signal
                    /gene="FGFR3"
                    4063
    polyA_site
                    /qene="FGFR3"
                    /evidence=experimental
BASE COUNT
               799 a
                       1198 c
                               1268 g
                                         828 t
ORIGIN
       1 cgcgcgctgc ctgaggacgc cgcggcccc gccccgcca tgggcgcccc tgcctgcgcc
      61 ctcgcgctct gcgtggccgt ggccatcgtg gccggcgcct cctcggagtc cttggggacg
     121 gagcagcgcg tcgtggggcg agcggcagaa gtcccgggcc cagagcccgg ccagcaggag
     241 cccatggggc ccactgtctg ggtcaaggat ggcacagggc tggtgccctc ggagcgtgtc
     301 ctggtggggc cccagcggct gcaggtgctg aatgcctccc acgaggactc cggggcctac
     361 agctgccggc agcggctcac gcagcgcgta ctgtgccact tcagtgtgcg ggtgacagac
     421 gctccatcct cgggagatga cgaagacggg gaggacgagg ctgaggacac aggtgtggac
     481 acaggggccc cttactggac acggcccgag cggatggaca agaagctgct ggccgtgccg
     541 googocaaca cogtoogott cogotgooca googotggoa accocactoo otocatotoo
     601 tggctgaaga acggcaggga gttccgcggc gagcaccgca ttggaggcat caagctgcgg
```

				gtggtgccct		
				cggcagacgt		
				gggctgccgg		
				tacagtgacg		
				gtgggcccgg		
				gacaaggagc		
				acctgcctgg		
				ccagccgagg		
				agctacgggg		
				ctgcgcagcc		
				ccgctcaagc		
				gtgcgcatcg		
				gagctgcctg		
				cttggggagg		
				cgggccgcca		
				gacctgtcgg		
				atcatcaacc		
				gcggccaagg		
				tccttcgaca		
1801	cagctcacct	tcaaggacct	ggtgtcctgt	gcctaccagg	tggcccgggg	catggagtac
1861	ttggcctccc	agaagtgcat	ccacagggac	ctggctgccc	gcaatgtgct	ggtgaccgag
				ctggcccggg		
1981	tacaagaaga	caaccaacgg	ccggctgccc	gtgaagtgga	tggcgcctga	ggccttgttt
2041	gaccgagtct	acactcacca	gagtgacgtc	tggtcctttg	gggtcctgct	ctgggagatc
2101	ttcacgctgg	ggggctcccc	gtaccccggc	atccctgtgg	aggagctctt	caagctgctg
2161	aaggagggcc	accgcatgga	caagcccgcc	aactgcacac	acgacctgta	catgatcatg
2221	cgggagtgct	ggcatgccgc	gccctcccag	aggcccacct	tcaagcagct	ggtggaggac
2281	ctggaccgtg	tccttaccgt	gacgtccacc	gacgagtacc	tggacctgtc	ggcgcctttc
2341	gagcagtact	ccccgggtgg	ccaggacacc	cccagctcca	gctcctcagg	ggacgactcc
2401	gtgtttgccc	acgacctgct	gcccccggcc	ccacccagca	gtgggggctc	gcggacgtga
2461	agggccactg	gtccccaaca	atgtgagggg	tccctagcag	ccctccctgc	tgctggtgca
2521	cagccactcc	ccggcatgag	actcagtgca	gatggagaga	cagctacaca	gagctttggt
2581	ctgtgtġtgt	gtgtgtgcgt	gtgtgtgtgt	gtgtgcacat	ccgcgtgtgc	ctgtgtgcgt
2641	gcgcatcttg	cctccaggtg	cagaggtacc	ctgggtgtcc	ccgctgctgt	gcaacggtct
2701	cctgactggt	gctgcagcac	cgaggggcct	ttgttctggg	gggacccagt	gcagaatgta
2761	agtgggccca	cccggtggga	ccccgtgggg	cagggagctg	ggcccgacat	ggctcggcct
2821	ctgcctttgc	accacgggac	atcacagggt	gcgctcggcc	cctcccacac	ccaaagctga
2881	gcctgcaggg	aagccccaca	tgtccagcac	cttgtgcctg	gggtgttagt	ggcaccgcct
2941	ccccacctcc	aggctttccc	acttcccacc	ctgcccctca	gagactgaaa	ttacgggtac
3001	ctgaagatgg	gagcctttac	cttttatgca	aaaggtttat	tccggaaact	agtgtacatt
3061	tctataaata	gatgctgtgt	atatggtata	tatacatata	tatatataac	atatatggaa
				gaccctgggg		
				aggccccagg		
				ttgttttaaa		
				tcccacaccc		
				acttattgac		
				cagcctgccc		
				tgattccagt		
				ggatttttct		
				attcttctaa		
	-				_	

3661 ggagacggtt tccagggagg ggccggcct gtgtgcaggt tccgatgtta ttagatgtta 3721 caagtttata tatatctata tatataattt attgagtttt tacaagatgt atttgttgta 3781 gacttaacac ttcttacgca atgcttctag agttttatag cctggactgc tacctttcaa 3841 agcttggagg gaagccgtga attcagttgg ttcgttctgt actgttactg ggccctgagt 3901 ctgggcagct gtcccttgct tgcctgcagg gccatggctc agggtggtct cttcttgggg 3961 cccagtgcat ggtggccaga ggtgtcaccc aaaccggcag gtgcgatttt gttaacccag 4021 cgacgaactt tccgaaaaat aaagacacct ggttgctaac ctgaaaaaa aaaaaaaaa 4081 aaaaaaaaaa aaa

```
gi|13112046|ref|NM_000142.2| Homo sapiens fibroblast growth factor receptor 3
(achondroplasia,
        thanatophoric dwarfism) (FGFR3), transcript variant 1,
        mRNA
       Length = 4093
Score = 4512 bits (2276), Expect = 0.0
Identities = 2305/2317 (99%)
Strand = Plus / Plus
        aaggatggcacagggctggtgccctcggagcgtgtcctggtggggccccagcggctgcag 60
Query: 1
        Sbjct: 265 aaggatggcacagggctggtgccctcggagcgtgtcctggtggggccccagcggctgcag 324
        gtgctgaatgcctcccacgaggactccggggcctacagctgccggcagcggctcacgcag 120
Query: 61
        qtqctqaatqcctcccacgaggactccggggcctacagctgccggcagcggctcacgcag 384
Sbjct: 325
Query: 121 cgcgtactgtgccacttcagtgtgcgggtgacagacgctccatcctcgggagatgacgaa 180
        Sbjct: 385 cgcgtactgtgccacttcagtgtgcgggtgacagacgctccatcctcgggagatgacgaa 444
Query: 181 gacggggaggacgaggctgaggacacaggtgtggacacaggggccccttactggacacgg 240
        Sbjct: 445 gacggggaggacgaggctgaggacacaggtgtggacacaggggccccttactggacacgg 504
Query: 241 cccqaqcqqatqqacaaqaagctgctggccgtgccggccgacaacaccgtccgcttccgc 300
        Query: 301 tgcccagccgctggcaaccccactccctccatctcctggctgaagaacggcagggagttc 360
        tgcccagccgctggcaaccccactccctccatctcctggctgaagaacggcagggagttc 624
Sbjct: 565
Query: 361 cgcggcgagcaccgcattggaggcatcaagctgcggcatcagcagtggagcctggtcatg 420
        Sbjct: 625 cgcggcgagcaccgcattggaggcatcaagctgcggcatcagcagtggagcctggtcatg 684
Query: 421 gaaagcgtggtgccctcggaccgcggcaactacacctgcgtcgtggagaacaagtttggc 480
        Sbjct: 685 gaaagcgtggtgccctcggaccgcggcaactacacctgcgtcgtggagaacaagtttggc 744
```

Query:	481	agcatccggcagacgtacacgctggacgtgctggagcgctccccgcaccggcccatcctg	540
Sbjct:	745	agcatccggcagacgtacacgctggacgtgctggagcgctccccggcaccggcccatcctg	804
Query:	541	caggeggggetgeeggeeaaccagaeggeggtgetgggeagegaegtggagtteeactge	600
Sbjct:	805	caggcggggctgccggccaaccagacggcggtgctgggcagcgacgtggagttccactgc	864
Query:	601	aaggtgtacagtgacgcacagccccacatccagtggctcaagcacgtggaggtgaatggc	660
Sbjct:	865	${\tt aaggtgtacagtgacgcacagcccacatccagtggctcaagcacgtggaggtgaacggc} \\ .$	924
Query:	661	agcaaggtgggcccggacggcacaccctacgttaccgtgctcaagacggcgggcg	720
Sbjct:	925	agcaaggtgggcccggacggcacaccctacgttaccgtgctcaagacggcgggcg	984
Query:	721	accaccgacaaggagctagaggttctctccttgcacaacgtcacctttgaggacgccggg	780
Sbjct:	985	accaccgacaaggagctagaggttctctccttgcacaacgtcacctttgaggacgccggg	
Query:		gagtacacctgcctggcgggcaattctattgggttttctcatcactctgcgtggctggtg	
		gagtacacctgcctggcggcaattctattgggttttctcatcactctgcgtggctggtg	
Query:			
		gtgctgccagccgaggaggagctggtggaggctgacgaggcgggcagtgtgtatgcaggc	
_		atcctcagctacggggtgggcttcttcctgttcatcctggtggtggcggctgtgaccgtc	
-		${\tt atcctcagctacggggtgggcttcttcctgttcatcctggtggtggcggctgtgacgctc}$	
		tgccgcctgcgcagnnnnnnaagaaaggcctgggctcccccaccgtgcacaagatctcc	
-		tgccgcctgcgcagccccccaagaaaggcctgggctcccccaccgtgcacaagatctcc	
		cgcttcccgctcaagcgacaggtgtccctggagtccaacgcgtccatgagctccaacaca	
Shict	1285	cactteccactcaagcgacaggtgtccctggagtccaacgcgtccatgagctccaacaca	1344

Query:	1081	ccactggtgcgcatcgcaaggctgtcctcaggggagggcccacgctggccaatgtctcc	1140
Sbjct:	1345	ccactggtgcgcatcgcaaggctgtcctcaggggagggccccacgctggccaatgtctcc	1404
Query:	1141	gagctcgagctgcctgccgaccccaaatgggagctgtctcgggcccggctgaccctgggc	1200
Sbjct:	1405	gagctcgagctgcctgccgaccccaaatgggagctgtctcgggcccggctgaccctgggc	1464
Query:	1201	aagccccttggggagggctgcttcggccaggtggtcatggcggaggccatcggcattgac	1260
Sbjct:	1465	aagccccttggggagggctgcttcggccaggtggtcatggcggaggccatcggcattgac	1524
Query:	1261	aaggaccgggccgccaagcctgtcaccgtagccgtgaagatgctgaaagacgatgccact	1320
Sbjct:	1525	aaggaccgggccgccaagcctgtcaccgtagccgtgaagatgctgaaagacgatgccact	1584
Query:	1321	gacaaggacctgtcggacctggtgtctgagatggagatgatgaagatgatcgggaaacac	1380
Sbjct:	1585		1644
Query:	1381	aaaaacatcatcaacctgctgggcgcctgcacgcagggcgggc	1440
Sbjct:	1645		1704
Query:	1441	gagtacgcggccaagggtaacctgcgggagtttctgcgggcgcgggcgccccgggcctg	1500
Sbjct:	1705		1764
Query:	1501	gactactccttcgacacctgcaagccgcccgaggagcagctcaccttcaaggacctggtg	1560
Sbjct:	1765		1824
Query:	1561	tcctgtgcctaccaggtggcccggggcatggagtacttggcctcccagaagtgcatccac	1620
Sbjct:	1825		1884
Query:	1621	agggacctggctgcccgcaatgtgctggtgaccgaggacaacgtgatgaagatcgcagac	1680

Query:	1681	ttcgggctggcccgggacgtgcacaacctcgactactacaagaagacaaccaac	1740
Sbjct:	1945	ttcgggctggcccgggacgtgcacaacctcgactactacaagaagacaaccaac	2004
Query:	1741	ctccccgtgaagtggatggcgcctgaggccttgtttgaccgagtctacactcaccagagt	1800
Sbjct:	2005	ctgcccgtgaagtggatggcgcctgaggccttgtttgaccgagtctacactcaccagagt	2064
Query:	1801	<pre>gacgtctggtcctttggggtcctgctctgggagatcttcacgctggggggctccccgtac </pre>	1860
Sbjct:	2065	gacgtctggtcctttggggtcctgctctgggagatcttcacgctggggggctccccgtac	2124
		cccggcatccctgtggaggagctcttcaagctgctgaaggagggccaccgcatggacaag	
-		cccggcatccctgtggaggagctcttcaagctgctgaaggagggccaccgcatggacaag	
		cccgccaactgcacacacgacctgtacatgatcatgcgggagtgctggcatgccgcgccc	
-		cccgccaactgcacacacgacctgtacatgatcatgcgggagtgctggcatgccgcgccc	
		tcccagaggcccaccttcaagcagctggtggaggacctggaccgtgtccttaccgtgacg	
-		tcccagaggcccaccttcaagcagctggtggaggacctggaccgtgtccttaccgtgacg	
_		tccaccgacgagtacctggacctgtcggcgcctttcgagcagtactccccgggtggccag	
		tccaccgacgagtacctggacctgtcggcgcctttcgagcagtactccccgggtggccag	
		gacaccccagctccagctcctcaggggacgactccgtgtttgcccacgacctgctgccc	
-		gacaccccagctccagctcctcaggggacgactccgtgtttgcccacgacctgctgccc	
		ccggccccacccagcagtgggggctcgcggacgtgaagggccactggtccccaacaatgt	
		ccggccccacccagcagtgggggctcgcggacgtgaagggccactggtccccaacaatgt	
		gaggggtccctagcagcccaccctgctgctggtgcacagccactccccggcatgagactc	
Shict	2485	dangatecetageageetectgetgetgetgetgecactececggcatgagacte	2544

1/18/03 7:46 PM

Query: 2281 agtgcagatggagagacagctacacagagctttggtc 2317

Sbjct: 2545 agtgcagatggagagacagctacacagagctttggtc 2581

1/18/03 7:46 PM

```
NM_022965. Homo sapiens fibr...[gi:13112047]
```

Links

linear PRI 21-FEB-2001 3757 bp mRNA LOCUS FGFR3 DEFINITION Homo sapiens fibroblast growth factor receptor 3 (achondroplasia, thanatophoric dwarfism) (FGFR3), transcript variant 2, mRNA. ACCESSION NM 022965 NM 022965.1 GI:13112047 VERSION KEYWORDS Homo sapiens (human) SOURCE ORGANISM Homo sapiens Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo. 1 (bases 1 to 3757) REFERENCE Partanen, J., Makela, T.P., Alitalo, R., Lehvaslaiho, H. and Alitalo, K. AUTHORS Putative tyrosine kinases expressed in K-562 human leukemia cells TITLE Proc. Natl. Acad. Sci. U.S.A. 87 (22), 8913-8917 (1990) JOURNAL 91062389 MEDLINE PUBMED 2247464 2 (bases 1 to 3757) REFERENCE Keegan, K., Johnson, D.E., Williams, L.T. and Hayman, M.J. AUTHORS Isolation of an additional member of the fibroblast growth factor TITLE receptor family, FGFR-3 Proc. Natl. Acad. Sci. U.S.A. 88 (4), 1095-1099 (1991) JOURNAL MEDLINE 91142118 1847508 PUBMED 3 (bases 1 to 3757) REFERENCE Thompson, L.M., Plummer, S., Schalling, M., Altherr, M.R., AUTHORS Gusella, J.F., Housman, D.E. and Wasmuth, J.J. A gene encoding a fibroblast growth factor receptor isolated from TITLE the Huntington disease gene region of human chromosome 4 Genomics 11 (4), 1133-1142 (1991) **JOURNAL** 92147110 MEDLINE PUBMED 1664411 4 (bases 1 to 3757) REFERENCE Velinov, M., Slaugenhaupt, S.A., Stoilov, I., Scott, C.I. Jr., **AUTHORS** Gusella, J.F. and Tsipouras, P. The gene for achondroplasia maps to the telomeric region of TITLE chromosome 4p Nat. Genet. 6 (3), 314-317 (1994) JOURNAL MEDLINE 94282083 8012397 PUBMED 5 (bases 1 to 3757) REFERENCE Le Merrer, M., Rousseau, F., Legeai-Mallet, L., Landais, J.C., AUTHORS Pelet, A., Bonaventure, J., Sanak, M., Weissenbach, J., Stoll, C., Munnich, A. et al. TITLE A gene for achondroplasia-hypochondroplasia maps to chromosome 4p Nat. Genet. 6 (3), 318-321 (1994) JOURNAL

MEDLINE 94282084

PUBMED 8012398

REFERENCE 6 (bases 1 to 3757)

AUTHORS Francomano, C.A., Ortiz de Luna, R.I., Hefferon, T.W., Bellus, G.A., Turner, C.E., Taylor, E., Meyers, D.A., Blanton, S.H., Murray, J.C.,

McIntosh, I. et al.

TITLE Localization of the achondroplasia gene to the distal 2.5 Mb of human chromosome 4p

JOURNAL Hum. Mol. Genet. 3 (5), 787-792 (1994)

MEDLINE 94362678

PUBMED 8081365

REFERENCE 7 (bases 1 to 3757)

AUTHORS Perez-Castro, A.V., Wilson, J. and Altherr, M.R.

TITLE Genomic organization of the human fibroblast growth factor receptor 3 (FGFR3) gene and comparative sequence analysis with the mouse Fgfr3 gene

JOURNAL Genomics 41 (1), 10-16 (1997)

MEDLINE 97271550

PUBMED 9126476

REFERENCE 8 (bases 1 to 3757)

AUTHORS Passos-Bueno, M.R., Wilcox, W.R., Jabs, E.W., Sertie, A.L., Alonso, L.G. and Kitoh, H.

REVIEWED REFSEQ: This record has been curated by NCBI staff. The

TITLE Clinical spectrum of fibroblast growth factor receptor mutations

JOURNAL Hum. Mutat. 14 (2), 115-125 (1999)

MEDLINE 99355711

PUBMED 10425034

COMMENT

reference sequence was derived from AF245114.1 and M64347.1. Summary: The protein encoded by this gene is a member of the fibroblast growth factor receptor family, where amino acid sequence is highly conserved between members and throughout evolution. FGFR family members differ from one another in their ligand affinities and tissue distribution. A full-length representative protein would consist of an extracellular region, composed of three immunoglobulin-like domains, a single hydrophobic membrane-spanning segment and a cytoplasmic tyrosine kinase domain. The extracellular portion of the protein interacts with fibroblast growth factors, setting in motion a cascade of downstream signals, ultimately influencing mitogenesis and differentiation. This particular family member binds acidic and basic fibroblast growth hormone and plays a role in bone development and maintenance. Mutations in this gene

Alternative splicing occurs and additional variants have been described, including those utilizing alternate exon 8 rather than 9, but their full-length nature has not been determined. Transcript Variant: This variant (2) does not contain alternatively spliced exons 8 or 9, resulting in a loss of the C-terminal half of the IgIII domain. In addition, this variant is missing alternatively spliced exon 10 which encodes the transmembrane region, suggesting a soluble receptor.

lead to craniosynostosis and multiple types of skeletal dysplasia.

```
COMPLETENESS: complete on the 3' end.
FEATURES
                     Location/Qualifiers
                     1..3757
    source
                     /organism="Homo sapiens"
                     /db xref="taxon:9606"
                     /chromosome="4"
                     /map="4p16.3"
                     1..3757
    gene
                     /gene="FGFR3"
                     /note="synonyms: ACH, CEK2, JTK4"
                     /db xref="LocusID:2261"
                     /db xref="MIM:134934"
    CDS
                     40..2124
                     /gene="FGFR3"
                     /EC number="2.7.1.112"
                     /note="isoform 2 is encoded by transcript variant 2;
                     protein-tyrosine kinase; tyrosylprotein kinase;
                     hydroxyaryl-protein kinase; human tyrosine kinase JTK4"
                     /codon start=1
                     /product="fibroblast growth factor receptor 3, isoform 2
                     precursor"
                     /protein_id="NP_075254.1"
                     /db xref="GI:13112048"
                     /db xref="LocusID:2261"
                     /db xref="MIM:134934"
                     /db xref="MIM:134934"
                     /translation="MGAPACALALCVAVAIVAGASSESLGTEQRVVGRAAEVPGPEPG
                     QQEQLVFGSGDAVELSCPPPGGGPMGPTVWVKDGTGLVPSERVLVGPQRLQVLNASHE
                     DSGAYSCRORLTORVLCHFSVRVTDAPSSGDDEDGEDEAEDTGVDTGAPYWTRPERMD
                     KKLLAVPAANTVRFRCPAAGNPTPSISWLKNGREFRGEHRIGGIKLRHQQWSLVMESV
                     VPSDRGNYTCVVENKFGSIRQTYTLDVLERSPHRPILQAGLPANQTAVLGSDVEFHCK
                     VYSDAQPHIQWLKHVEVNGSKVGPDGTPYVTVLKVSLESNASMSSNTPLVRIARLSSG
                     EGPTLANVSELELPADPKWELSRARLTLGKPLGEGCFGQVVMAEAIGIDKDRAAKPVT
                     VAVKMLKDDATDKDLSDLVSEMEMMKMIGKHKNIINLLGACTQGGPLYVLVEYAAKGN
                     LREFLRARRPPGLDYSFDTCKPPEEQLTFKDLVSCAYQVARGMEYLASQKCIHRDLAA
                     RNVLVTEDNVMKIADFGLARDVHNLDYYKKTTNGRLPVKWMAPEALFDRVYTHQSDVW
                     SFGVLLWEIFTLGGSPYPGIPVEELFKLLKEGHRMDKPANCTHDLYMIMRECWHAAPS
                     QRPTFKQLVEDLDRVLTVTSTDEYLDLSAPFEQYSPGGQDTPSSSSSGDDSVFAHDLL
                     PPAPPSSGGSRT"
                     40..105
    sig peptide
                     /gene="FGFR3"
    mat peptide
                     106..2121
                     /gene="FGFR3"
                     /product="fibroblast growth factor receptor 3, isoform 2"
    misc feature
                     199..369
                     /gene="FGFR3"
                     /note="IG; Region: Immunoglobulin"
                     /db xref="CDD:IG"
                     547..744
    misc feature
                     /gene="FGFR3"
```

```
/note="IG; Region: Immunoglobulin"
                /db xref="CDD:IG"
misc_feature
                547..729
                /gene="FGFR3"
                /note="ig; Region: Immunoglobulin domain"
                /db xref="CDD:pfam00047"
misc_feature
                1117..1947
                /gene="FGFR3"
                /note="pkinase; Region: Eukaryotic protein kinase domain"
                /db xref="CDD:pfam00069"
                1117..1947
misc_feature
                /gene="FGFR3"
                /note="TyrKc; Region: Tyrosine kinase, catalytic domain"
                /db_xref="CDD:TyrKc"
misc feature
                1123..1950
                /gene="FGFR3"
                /note="S TKc; Region: Serine/Threonine protein kinases,
                catalytic domain"
                /db xref="CDD:S TKc"
                232
variation
                /gene="FGFR3"
                /allele="G"
                /allele="A"
                /db xref="dbSNP:2305178"
                921
variation
                /gene="FGFR3"
                /allele="T"
                /allele="C"
                /db xref="dbSNP:2234909"
misc feature
                969^970
                /gene="FGFR3"
                /note="Region: location of alternate exons 8, 9, 10"
variation
                /gene="FGFR3"
                /allele="G"
                /allele="A"
                /db xref="dbSNP:3135900"
                2306
variation
                /gene="FGFR3"
                /allele="T"
                /allele="C"
                /db xref="dbSNP:3135901"
                2324
variation
                /gene="FGFR3"
                /allele="G"
                /allele="A"
                /db xref="dbSNP:3135902"
                2641
variation
                /gene="FGFR3"
                /allele="G"
```

```
/allele="C"
                     /db xref="dbSNP:3135903"
     variation
                     /gene="FGFR3"
                     /allele="T"
                     /allele="C"
                     /db xref="dbSNP:3135904"
     variation
                     3479
                     /gene="FGFR3"
                     /allele="T"
                     /allele="C"
                     /db xref="dbSNP:2121456"
                     3702..3707
     polyA signal
                     /gene="FGFR3"
                     3727
     polyA site
                     /gene="FGFR3"
                     /evidence=experimental
                        1093 c
                                 1160 a
                                           760 t
BASE COUNT
                744 a
ORIGIN
        1 cgcgcgctgc ctgaggacgc cgcggcccc gccccgcca tgggcgcccc tgcctgcgcc
       61 ctcgcgctct gcgtggccgt ggccatcgtg gccggcgcct cctcggagtc cttggggacg
      121 gagcagegeg tegtggggeg ageggeagaa gteeegggee cagageeegg eeageaggag
      181 caqttqqtct tcggcagcgg ggatgctgtg gagctgagct gtcccccgcc cgggggtggt
      241 cccatqqqqc ccactqtctg ggtcaaggat ggcacagggc tggtgccctc ggagcgtgtc
      301 ctqqtqqqqc cccaqcqqct qcaqgtqctq aatgcctccc acgaggactc cggggcctac
      361 agetgeegge ageggeteae geagegegta etgtgeeaet teagtgtgeg ggtgaeagae
      421 gctccatcct cgggaqatga cgaagacggg gaggacgagg ctgaggacac aggtgtggac
      481 acaggggccc cttactggac acggcccgag cggatggaca agaagctgct ggccgtgccg
      541 gccgccaaca ccgtccgctt ccgctgccca gccgctggca accccactcc ctccatctcc
      601 tqqctqaaqa acqqcaqgqa qttccgcggc gagcaccgca ttggaggcat caagctgcgg
      661 catcagcagt ggagcctggt catggaaagc gtggtgccct cggaccgcgg caactacacc
      721 tgcgtcgtgg agaacaagtt tggcagcatc cggcagacgt acacgctgga cgtgctggag
      781 cqctccccqc accgqcccat cctgcaggcg gggctgccgg ccaaccagac ggcggtgctg
      841 ggcagcgacg tggagttcca ctgcaaggtg tacagtgacg cacagcccca catccagtgg
    901 ctcaagcacg tqqaqqtqaa cqqcaqcaaq gtqqgcccqg acggcacacc ctacgttacc
      961 gtgctcaagg tgtccctgga gtccaacgcg tccatgagct ccaacacacc actggtgcgc
     1021 atcqcaaqqc tqtcctcaqq qqaqqqccc acgctggcca atgtctccga gctcgagctg
     1081 cctqccqacc ccaaatggga gctgtctcgg gcccggctga ccctgggcaa gccccttggg
     1141 gagggctgct tcggccaggt ggtcatggcg gaggccatcg gcattgacaa ggaccgggcc
     1201 gccaagectg teacegtage egtgaagatg etgaaagaeg atgceaetga caaggaeetg
     1261 toggacotgg tqtotgagat ggagatgatg aagatgatog ggaaacacaa aaacatcato
     1321 aacctgctgg gcgcctgcac gcagggcggg cccctgtacg tgctggtgga gtacgcggcc
     1381 aagggtaacc tgcgggagtt tctgcgggcg cggcggcccc cgggcctgga ctactccttc
     1441 gacacctgca agccgcccga ggagcagctc accttcaagg acctggtgtc ctgtgcctac
     1501 caggtqqccc qqqqcatqqa qtacttqqcc tcccagaagt gcatccacag ggacctggct
     1561 gcccgcaatg tgctggtgac cgaggacaac gtgatgaaga tcgcagactt cgggctggcc
     1621 cqqqacqtqc acaacctcqa ctactacaag aagacaacca acggccggct gcccgtgaag
     1681 tggatggcgc ctgaggcctt gtttgaccga gtctacactc accagagtga cgtctggtcc
     1741 tttqqqqtcc tqctctqqqa qatcttcacq ctggggggct ccccgtaccc cggcatccct
     1801 gtggaggagc tcttcaagct gctgaaggag ggccaccgca tggacaagcc cgccaactgc
```

1/18/03 7:47 PM

```
1861 acacacgacc tgtacatgat catgcgggag tgctggcatg ccgcgccctc ccagaggccc
1921 accttcaagc agctggtgga ggacctggac cgtgtcctta ccgtgacgtc caccgacgag
1981 tacctggacc tgtcggcgcc tttcgagcag tactccccgg gtggccagga cacccccagc
2041 tocagetect caggggacga etcegtgttt geccaegace tgetgeecce ggecceaece
2101 agcagtgggg gctcgcggac gtgaagggcc actggtcccc aacaatgtga ggggtcccta
2161 gcagccctcc ctgctgctgg tgcacagcca ctccccggca tgagactcag tgcagatgga
2221 gagacageta cacagagett tggtctgtgt gtgtgtgtgt gegtgtgtgt gtgtgtgtg
2281 acatccgcgt gtgcctgtgt gcgtgcgcat cttgcctcca ggtgcagagg taccctgggt
2341 gtccccgctg ctgtgcaacg gtctcctgac tggtgctgca gcaccgaggg gcctttgttc
2401 tqqqqqacc caqtqcaqaa tqtaaqtqqq cccacccggt gggaccccgt ggggcaggga
2461 gctgggccg acatggctcg gcctctgcct ttgcaccacg ggacatcaca gggtgcgctc
2521 ggcccctccc acacccaaag ctgagcctgc agggaagccc cacatgtcca gcaccttgtg
2581 cctqqqqtqt taqtqqcacc qcctccccac ctccaggctt tcccacttcc caccctgccc
2641 ctcagagact gaaattacgg gtacctgaag atgggagcct ttacctttta tgcaaaaggt
2701 ttattccgga aactagtgta catttctata aatagatgct gtgtatatgg tatatataca
2761 tatatatata taacatatat ggaagaggaa aaggctggta caacggaggc ctgcgaccct
2821 qqqqqcacaq gaggcaggca tggccctggg cggggcgtgg gggggcgtgg agggaggccc
2881 caggggtctc acccatgcaa gcagaggacc agggcttttt ctggcaccgc agttttgttt
2941 taaaactqqa cctqtatatt tqtaaaqcta tttatgggcc cctggcactc ttgttcccac
3001 accccaacac ttccagcatt tagctggcca catggcggag agttttaatt tttaacttat
3061 tgacaaccga gaaggtttat cccgccgata gagggacggc caagaatgta cgtccagcct
3121 gccccqqaqc tqqaqqatcc cctccaagcc taaaaggttg ttaatagttg gaggtgattc
3181 cagtgaagat attttatttg ctttgtcctt tttcaggaga attagatttc tataggattt
3241 ttctttagga gatttatttt ttggacttca aagcaagctg gtattttcat acaaattctt
3301 ctaattqctq tqtqtcccaq qcaqqqaqac qqtttccagg gaggggccgg ccctgtgtgc
3361 aggttccgat gttattagat gttacaagtt tatatatatc tatatata atttattgag
3421 tttttacaaq atqtatttqt tqtaqactta acacttctta cgcaatgctt ctagagtttt
3481 atagcctgga ctgctacctt tcaaagcttg gagggaagcc gtgaattcag ttggttcgtt
3541 ctgtactgtt actgggccct gagtctgggc agctgtccct tgcttgcctg cagggccatg
3601 gctcagggtg gtctcttctt ggggcccagt gcatggtggc cagaggtgtc acccaaaccg
3661 gcaggtgcga ttttgttaac ccagcgacga actttccgaa aaataaagac acctggttgc
3721 taacctgaaa aaaaaaaaa aaaaaaaa aaaaaaa
```

6 of 6

```
(achondroplasia,
        thanatophoric dwarfism) (FGFR3), transcript variant 2,
       mRNA
      Length = 3757
Score = 2518 bits (1270), Expect = 0.0
Identities = 1276/1278 (99%)
Strand = Plus / Plus
Query: 1040 aggtgtccctggagtccaacgcgtccatgagctccaacacaccactggtgcgcatcgcaa 1099
        Sbjct: 968 aggtgtccctggagtccaacgcgtccatgagctccaacacaccactggtgcgcatcgcaa 1027
Query: 1160 accccaaatqqqaqctqtctcqqqcccqqctqaccctqggcaagccccttggggagggct 1219
        Sbjct: 1088 accccaaatgggagctgtctcgggcccggctgaccctgggcaagccccttggggagggct 1147
Query: 1220 gcttcggccaggtggtcatggcggaggccatcggcattgacaaggaccgggcgccaagc 1279
        Sbjct: 1148 getteggecaggtggteatggeggaggecateggeattgacaaggacegggeegecaage 1207
Query: 1280 ctgtcaccgtagccgtgaagatgctgaaagacgatgccactgacaaggacctgtcggacc 1339
        Sbjct: 1208 ctgtcaccgtagccgtgaagatgctgaaagacgatgccactgacaaggacctgtcggacc 1267
Query: 1340 tggtgtctgagatggagatgatgaagatgatcgggaaacacaaaaacatcatcaacctgc 1399
        Sbjct: 1268 tggtgtctgagatggagatgatgaagatgatcgggaaacacaaaaacatcatcaacctgc 1327
Query: 1400 tgggcgcctgcacgcagggcgggcccctgtacgtgctggtggagtacgcgggccaagggta 1459
        Sbjct: 1328 tgggcgcctgcacgcagggcgggcccctgtacgtgctggtggagtacgcgggccaagggta 1387
Query: 1460 acctgcgggagtttctgcgggcgcgggggcccccggggcctggactactccttcgacacct 1519
        Sbjct: 1388 acctgcgggagtttctgcgggcgcgggcgccccgggcctggactactccttcgacacct 1447
```

qi|13112047|ref|NM 022965.1| Homo sapiens fibroblast growth factor receptor 3

1/18/03 7:48 PM

Query:	1520	gcaagccgcccgaggagcagctcaccttcaaggacctggtgtcctgtgcctaccaggtgg	1579
Sbjct:	1448	gcaagccgcccgaggagcagctcaccttcaaggacctggtgtcctgtgcctaccaggtgg	1507
Query:	1580	cccggggcatggagtacttggcctcccagaagtgcatccacagggacctggctgcccgca	1639
Sbjct:	1508	cccggggcatggagtacttggcctcccagaagtgcatccacagggacctggctgcccgca	1567
Query:	1640	atgtgctggtgaccgaggacaacgtgatgaagatcgcagacttcgggctggcccgggacg	1699
Sbjct:	1568	atgtgctggtgaccgaggacaacgtgatgaagatcgcagacttcgggctggcccgggacg	1627
Query:	1700	tgcacaacctcgactactacaagaagacaaccaacggccggc	1759
Sbjct:	1628	tgcacaacctcgactactacaagaagacaaccaacggccggc	1687
Query:	1760	cgcctgaggccttgtttgaccgagtctacactcaccagagtgacgtctggtcctttgggg	1819
Sbjct:	1688	cgcctgaggccttgtttgaccgagtctacactcaccagagtgacgtctggtcctttgggg	1747
Query:	1820	tcctgctctgggagatcttcacgctggggggctccccgtaccccggcatccctgtggagg	1879
-		tcctgctctgggagatcttcacgctggggggctccccgtaccccggcatccctgtggagg	
		agctcttcaagctgctgaaggagggccaccgcatggacaagcccgccaactgcacacacg	
		agctcttcaagctgctgaaggagggccaccgcatggacaagcccgccaactgcacacacg	
		acctgtacatgatcatgcgggagtgctggcatgccgcgccctcccagaggcccaccttca	
-		acctgtacatgatcatgcgggagtgctggcatgccgcgccctcccagaggcccaccttca	
		agcagctggtggaggacctggaccgtgtccttaccgtgacgtccaccgacgagtacctgg	
		agcagctggtggaggacctggaccgtgtccttaccgtgacgtccaccgacgagtacctgg	
		acctgtcggcgcctttcgagcagtactccccgggtggccaggacacccccagctccagct	
Sbict:	1988	acctgtcggcgcctttcgagcagtactccccgggtggccaggacacccccagctccagct	2047

Query:	2120	cctcaggggacgactccgtgtttgcccacgacctgctgcccccggccccaccca	2179
Sbjct:	2048	cctcaggggacgactccgtgtttgcccacgacctgctgcccccggccccaccca	2107
Query:	2180	ggggctcgcggacgtgaagggccactggtccccaacaatgtgaggggtccctagcagccc	2239
Sbjct:	2108	ggggctcgcggacgtgaagggccactggtccccaacaatgtgaggggtccctagcagccc	2167
Query:	2240	accctgctgctggtgcacagccactccccggcatgagactcagtgcagatggagagacag	2299
Sbjct:	2168	tccctgctgctggtgcacagccactccccggcatgagactcagtgcagatggagagacag	2227
Query:	2300	ctacacagagctttggtc 2317	
Sbict:	2228	ctacacagagetttggtc 2245	

```
M58051. Human fibroblast ...[gi:182568]
```

Links

PRI 08-NOV-1994 linear 2520 bp mRNA LOCUS HUMFGFR3 DEFINITION Human fibroblast growth factor receptor (FGFR3) mRNA, complete cds. ACCESSION M58051 M58051.1 GI:182568 VERSION fibroblast growth factor receptor. KEYWORDS SOURCE Homo sapiens (human) ORGANISM Homo sapiens Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo. 1 (bases 1 to 2520) REFERENCE Keegan, K., Johnson, D.E., Williams, L.T. and Hayman, M.J. AUTHORS Isolation of an additional member of the fibroblast growth factor TITLE receptor family, FGFR-3 JOURNAL Proc. Natl. Acad. Sci. U.S.A. 88 (4), 1095-1099 (1991) MEDLINE 91142118 1847508 PUBMED COMMENT Original source text: Human, cDNA to mRNA. Location/Qualifiers FEATURES 1..2520 source /organism="Homo sapiens" /db xref="taxon:9606" /map="4p16.3" /cell line="CML K562" 1..2520 gene /gene="FGFR3" CDS 40..2460 /gene="FGFR3" /codon start=1 /product="fibroblast growth factor receptor" /protein_id="AAA52450.1" /db xref="GI:182569" /db xref="GDB:G00-127-526" /translation="MGAPACALALCVAVAIVAGASSESLGTEQRVVGRAAEVPGPEPG OOEOLVFGSGDAVELSCPPPGGGPMGPTVWVKDGTGLVPSERVLVGPQRLQVLNASHE DSGAYSCRQRLTQRVLCHFSVRVTDAPSSGDDEDGEDEAEDTGVDTGAPYWTRPERMD KKLLAVPAANTVRFRCPAAGNPTPSISWLKNGREFRGEHRIGGIKLRHQQWSLVMESV VPSDRGNYTCVVENKFGSIRQTYTLDVLERSPHRPILQAGLPANQTAVLGSDVEFHCK VYSDAQPHIQWLKHVEVNGSKVGPDGTPYVTVLKTAGANTTDKELEVLSLHNVTFEDA GEYTCLAGNSIGFSHHSAWLVVLPAEEELVEADEAGSVYAGILSYGVGFFLFILVVAA VTLCRLRSPPKKGLGSPTVHKISRFPLKRQVSLESNASMSSNTPLVRIARLSSGEGPT LANVSELELPADPKWELSRARLTLGKPLGEGCFGQVVMAEAIGIDKDRAAKPVTVAVK MLKDDATDKDLSDLVSEMEMMKMIGKHKNIINLLGACTQGGPLYVLVEYAAKGNLREF LRARRPPGLDYSFDTCKPPEEQLTFKDLVSCAYQVARGMEYLASQKCIHRDLAARNVL VTEDNVMKIADFGLARDVHNLDYYKKTTNGRLPVKWMAPEALFDRVYTHQSDVWSFGV

LLWEIFTLGGSPYPGIPVEELFKLLKEGHRMDKPANCTHDLYMIMRECWHAAPSQRPT

```
FKQLVEDLDRVLTVTSTDEYLDLSAPFEQYSPGGQDTPSSSSSGDDSVFAHDLLPPAP
                    PSSGGSRT"
    sig_peptide
                    40..105
                    /gene="FGFR3"
                    /note="G00-127-526"
                    106..2457
    mat peptide
                    /gene="FGFR3"
                    /product="fibroblast growth factor receptor"
                    /note="G00-127-526"
                        827 c
                                 840 g
                                          412 t
               441 a
BASE COUNT
ORIGIN
       1 egegegetge etgaggaege egeggeece geeceegeea tgggegeece tgeetgegee
      61 ctcgcgctct gcgtggccgt ggccatcgtg gccggcgcct cctcggagtc cttggggacg
     121 gagcagcgcg tcgtggggcg agcggcagaa gtcccgggcc cagagcccgg ccagcaggag
     241 cccatqqqqc ccactqtctq qqtcaaggat ggcacagggc tggtgccctc ggagcgtgtc
     301 ctqqtqqqqc cccaqcqqct qcaqqtqctq aatgcctccc acgaggactc cggggcctac
     361 agctgccggc agcggctcac gcagcgcgta ctgtgccact tcagtgtgcg ggtgacagac
     421 gctccatcct cgggaqatga cgaagacggg gaggacgagg ctgaggacac aggtgtggac
     481 acaggggccc cttactggac acggcccgag cggatggaca agaagctgct ggccgtgccg
     541 geogecaaca cogteogett cogetgecca geogetggea accecaetee etceatetee
     601 tqqctqaaqa acggcaggga gttccgcggc gagcaccgca ttggaggcat caagctgcgg
     661 catcagcagt ggagcctggt catggaaagc gtggtgccct cggaccgcgg caactacacc
     721 tqcqtcqtqq aqaacaaqtt tggcagcatc cggcagacgt acacgctgga cgtgctggag
     781 cqctcccqc accqqcccat cctqcaqqcq gggctqccgg ccaaccagac ggcggtgctg
     841 ggcagcgacg tggagttcca ctgcaaggtg tacagtgacg cacagcccca catccagtgg
     901 ctcaaqcacq tqqaqqtqaa cqqcaqcaag gtgggcccgg acggcacacc ctacgttacc
     961 gtqctcaaqa cggcgggcgc taacaccacc gacaaggagc tagaggttct ctccttgcac
     1021 aacgtcacct ttgaggacgc cggggagtac acctgcctgg cgggcaattc tattgggttt
    1081 totcatcact ctqcqtqqct qqtqqtqctg ccaqccgagg aggagctggt ggaggctgac
    1141 gaggcgggca gtgtgtatgc aggcatcctc agctacgggg tgggcttctt cctgttcatc
    1201 ctggtggtgg cggctgtgac gctctgccgc ctgcgcagcc cccccaagaa aggcctgggc
    1261 tocccaccq tqcacaaqat otcccqcttc ccgctcaagc gacaggtgtc cctggagtcc
    1321 aacgcgtcca tgagctccaa cacaccactg gtgcgcatcg caaggctgtc ctcaggggag
    1381 ggccccacgc tggccaatgt ctccgagctc gagctgcctg ccgaccccaa atgggagctg
    1441 tctcgggccc ggctgaccct gggcaagccc cttggggagg gctgcttcgg ccaggtggtc
    1501 atggcggagg ccatcggcat tgacaaggac cgggccgcca agcctgtcac cgtagccgtg
    1561 aagatgctga aagacgatgc cactgacaag gacctgtcgg acctggtgtc tgagatggag
    1621 atqatqaaqa tqatcqqqaa acacaaaaac atcatcaacc tgctgggcgc ctgcacgcag
    1681 ggcgggcccc tgtacgtgct ggtggagtac gcggccaagg gtaacctgcg ggagtttctg
    1741 egggegege ggeeceeggg cetggactae teettegaca eetgeaagee geecgaggag
    1801 cagctcacct tcaaggacct ggtgtcctgt gcctaccagg tggcccgggg catggagtac
    1861 ttqqcctccc aqaaqtqcat ccacagggac ctggctgccc gcaatgtgct ggtgaccgag
    1921 gacaacgtga tgaagatcgc agacttcggg ctggcccggg acgtgcacaa cctcgactac
    1981 tacaagaaga caaccaacgg ccggctgccc gtgaagtgga tggcgcctga ggccttgttt
    2041 gaccgagtct acactcacca gagtgacgtc tggtcctttg gggtcctgct ctgggagatc
    2101 ttcacgctgg ggggctcccc gtaccccggc atccctgtgg aggagctctt caagctgctg
    2161 aaggagggcc accgcatgga caagcccgcc aactgcacac acgacctgta catgatcatg
    2221 cgggagtgct ggcatgccgc gccctcccag aggcccacct tcaagcagct ggtggaggac
    2281 ctggaccgtg tccttaccgt gacgtccacc gacgagtacc tggacctgtc ggcgcctttc
```

2341 gagcagtact ccccgggtgg ccaggacacc cccagctca gctcctagg ggacgactcc 2401 gtgtttgcc acgacctgct gccccagcc ccaccagca gtgggggctc gcggacgtga 2461 agggccactg gtcccaaca atgtgagggg tccctagcag ccctccctgc tgctggtgca

```
mRNA, complete cds
      Length = 2520
Score = 4391 bits (2215), Expect = 0.0
Identities = 2244/2256 (99%)
Strand = Plus / Plus
        aaqqatggcacagggctggtgccctcggagcgtgtcctggtggggccccagcggctgcag 60
Query: 1
        aaqqatqqcacaqqqctqqtqccctcqqaqcqtqtcctgqtggggccccagcggctgcag 324
Sbjct: 265
        gtgctgaatgcctcccacgaggactccggggcctacagctgccggcagcggctcacgcag 120
Query: 61
        gtgctgaatgcctcccacgaggactccggggcctacagctgccggcagcggctcacgcag 384
Sbjct: 325
Query: 121 cgcgtactgtgccacttcagtgtgcgggtgacagacgctccatcctcgggagatgacgaa 180
        cqcqtactqtqccacttcaqtqtqcqgqtqacaqacqctccatcctcgggagatgacgaa 444
Sbjct: 385
Query: 181 gacggggaggacgaggctgaggacacaggtgtggacacaggggccccttactggacacgg 240
        Sbjct: 445 gacggggaggacgaggctgaggacacaggtgtggacacaggggccccttactggacacgg 504
Sbjct: 505 cccqaqcggatggacaagaagctgctggccgtgccggccgccaacaccgtccgcttccgc 564
Query: 301 tgcccagccgctggcaaccccactccctccatctcctggctgaagaacggcagggagttc 360
        tgcccagccgctggcaaccccactccctccatctcctggctgaagaacggcagggagttc 624
Sbjct: 565
        cgcggcgagcaccgcattggaggcatcaagctgcggcatcagcagtggagcctggtcatg 420
Query: 361
        Sbjct: 625
        cgcggcgagcaccgcattggaggcatcaagctgcggcatcagcagtggagcctggtcatg 684
Query: 421 gaaagcgtggtgccctcggaccgcggcaactacacctgcgtcgtggagaacaagtttggc 480
        Sbjct: 685 gaaagcgtggtgccctcggaccgcggcaactacacctgcgtcgtggagaacaagtttggc 744
Query: 481 agcatccggcagacgtacacgctggacgtgctggagcgctccccgcaccggcccatcctg 540
```

Human fibroblast growth factor receptor (FGFR3)

qi|182568|gb|M58051.1|HUMFGFR3

1/18/03 7:52 PM

Sbjct:	745		804
Query:		caggeggggctgccggccaaccagacggcggtgctgggcagcgacgtggagttccactgc	
Sbjct:	805	caggcggggctgccggccaaccagacggcggtgctgggcagcgacgtggagttccactgc	
Query: Sbjct:		aaggtgtacagtgacgcacagccccacatccagtggctcaagcacgtggaggtgaatggc	
Query:	661	$. \\$ agcaaggtgggcccggacggcacaccctacgttaccgtgctcaagacggcgggcg	720
Sbjct:	925		984
Query:	721	accaccgacaaggagctagaggttctctccttgcacaacgtcacctttgaggacgccggg	780
Sbjct:	985	accaccgacaaggagctagaggttctctccttgcacaacgtcacctttgaggacgccggg	1044
Query: Sbict:		gagtacacctgcctggcgggcaattctattgggttttctcatcactctgcgtggctggtg	840 1104
Query:		gtgctgccagccgaggaggagctggtggaggctgacgaggcgggcagtgtgtatgcaggc	900
Query:	901	atcctcagctacggggtgggcttcttcctgttcatcctggtggtggcggctgtgaccgtc	960
Sbjct:	1165	atcctcagctacggggtgggcttcttcctgttcatcctggtggtggcggctgtgacgctc	1224
		tgccgcctgcgcagnnnnnnaagaaaggcctgggctccccaccgtgcacaagatctcc	
		cgcttcccgctcaagcgacaggtgtccctggagtccaacgcgtccatgagctccaacaca	
Query:	1081	ccactggtgcgcatcgcaaggctgtcctcaggggagggccccacgctggccaatgtctcc	1140

Sbjct:	1345		1404
		gagetegagetgeetgeegaceceaaatgggagetgtetegggeeeggetgaceetggge	
Sbjct:	1405	gagetegagetgeetgeegaeeceaaatgggagetgtetegggeeeggetgaeeetggge	1464
		<pre>aagccccttggggagggctgcttcggccaggtggtcatggcggaggccatcggcattgac </pre>	
		aaggaccgggccgccaagcctgtcaccgtagccgtgaagatgctgaaagacgatgccact	
Query:	1321	. gacaaggacctgtcggacctggtgtctgagatggagatgatgaagatgatcgggaaacac	1380
Sbjct:	1585		1644
		aaaaacatcatcaacctgctgggcgcctgcacgcagggcgggc	
Sbjct:	1645	aaaaacatcatcaacctgctgggcgcctgcacgcagggcggggcccctgtacgtgctggtg	1704
		gagtacgcggccaagggtaacctgcgggagtttctgcgggcgcgggcgg	
		gactactccttcgacacctgcaagccgcccgaggagcagctcaccttcaaggacctggtg	
Query:	1561	tcctgtgcctaccaggtggcccggggcatggagtacttggcctcccagaagtgcatccac	1620
Sbjct:	1825		1884
		agggacctggctgcccgcaatgtgctggtgaccgaggacaacgtgatgaagatcgcagac	
		agggacctggctgcccgcaatgtgctggtgaccgaggacaacgtgatgaagatcgcagac	
Query:	1681	$\verb tcgggctggcccgggacgtgcacaacctcgactactacaagaagacaaccaac$	1740

Sbjct:	1945	ttcgggctggcccgggacgtgcacaacctcgactactacaagaagacaaccaac	2004
Query:	1741	ctccccgtgaagtggatggcgcctgaggccttgtttgaccgagtctacactcaccagagt	1800
Sbjct:	2005	ctgcccgtgaagtggatggcgcctgaggccttgtttgaccgagtctacactcaccagagt	2064
Query:	1801	gacgtctggtcctttggggtcctgctctgggagatcttcacgctggggggctccccgtac	1860
Sbjct:	2065	gacgtctggtcctttggggtcctgctctgggagatcttcacgctggggggctccccgtac	2124
Query:	1861	cccggcatccctgtggaggagctcttcaagctgctgaaggagggccaccgcatggacaag	1920
Sbjct:	2125	cccggcatccctgtggaggagctcttcaagctgctgaaggagggccaccgcatggacaag	2184
Query:	1921	cccgccaactgcacacacgacctgtacatgatcatgcgggagtgctggcatgccgcgccc	1980
Sbjct:	2185	cccgccaactgcacacacgacctgtacatgatcatgcgggagtgctggcatgccgcgccc	2244
Query:	1981	tcccagaggcccaccttcaagcagctggtggaggacctggaccgtgtccttaccgtgacg	2040
Sbjct:	2245	tcccagaggcccaccttcaagcagctggtggaggacctggaccgtgtccttaccgtgacg	2304
Query:	2041	tccaccgacgagtacctggacctgtcggcgcctttcgagcagtactccccgggtggccag	2100
Sbjct:	2305	tccaccgacgagtacctggacctgtcggcgcctttcgagcagtactccccgggtggccag	2364
Query:	2101	gacaccccagctccagctcctcaggggacgactccgtgtttgcccacgacctgctgccc	2160
Sbjct:	2365	gacaccccagctccagctcctcaggggacgactccgtgtttgcccacgacctgctgccc	2424
Query:	2161	ccggccccacccagcagtgggggctcgcggacgtgaagggccactggtccccaacaatgt	2220
Sbjct:	2425	ccggccccaccagcagtgggggctcgcggacgtgaagggccactggtccccaacaatgt	2484
Query:	2221	gaggggtccctagcagcccaccctgctgctggtgca 2256	
Sbjct:	2485	gaggggtccctagcagccctccctgctgctggtgca 2520	

```
AF487554. Homo sapiens fibr...[gi:20452379]
```

Links

16976 bp PRI 05-MAY-2002 DNA linear LOCUS AF487554 DEFINITION Homo sapiens fibroblast growth factor receptor 3 (FGFR3) gene, partial cds, alternatively spliced. ACCESSION AF487554 AF487554.1 GI:20452379 VERSION KEYWORDS SOURCE Homo sapiens (human) ORGANISM Homo sapiens Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo. 1 (bases 1 to 16976) REFERENCE AUTHORS Lind, D.L. and Cox, D.R. Fibroblast growth factor receptor 3 (FGFR3) genomic sequence TITLE Unpublished JOURNAL (bases 1 to 16976) REFERENCE **AUTHORS** Lind, D.L. and Cox, D.R. Direct Submission TITLE Submitted (26-FEB-2002) Genetics, Stanford University, SUMC M312, JOURNAL 300 Pasteur Drive M/C 5120, Stanford, CA 94305-5120, USA Location/Qualifiers FEATURES 1..16976 source /organism="Homo sapiens" /db xref="taxon:9606" /chromosome="4" /map="4p16.3" <1..>13026 gene /gene="FGFR3" join(<5018..5287,5511..5576,7131..7300,7384..7507, mRNA 7599...7789,8678...8828,10094...10284,10588...10733, 11119..11240, 11323..11433, 11514..11704, 11815..11937, 12021..12091, 12310..12447, 12593..12698, 12880..>13026) /gene="FGFR3" /product="fibroblast growth factor receptor 3" /note="alternatively spliced" join(<5018..5287,5511..5576,7131..7300,7384..7507, mRNA 7599..7789,9456..9600,10094..10284,10588..10733, 11119...11240, 11323...11433, 11514...11704, 11815...11937, 12021..12091,12310..12447,12593..12698,12880..>13026) /gene="FGFR3" /product="fibroblast growth factor receptor 3" /note="alternatively spliced" join(<5018..5287,5511..5576,7131..7300,7384..7507, CDS 7599...7789,8678...8828,10094...10284,10588...10733, 11119..11240, 11323..11433, 11514..11704, 11815..11937, 12021..12091, 12310..12447, 12593..12698, 12880..13026)

```
/gene="FGFR3"
/note="alternatively spliced"
/codon start=3
/product="fibroblast growth factor receptor 3"
/protein id="AAM22079.1"
/db xref="GI:20452381"
/translation="VPGPEPGQQEQLVFGSGDAVELSCPPPGGGPMGPTVWVKDGTGL
VPSERVLVGPORLOVLNASHEDSGAYSCRQRLTQRVLCHFSVRVTDAPSSGDDEDGED
EAEDTGVDTGAPYWTRPERMDKKLLAVPAANTVRFRCPAAGNPTPSISWLKNGREFRG
EHRIGGIKLRHOOWSLVMESVVPSDRGNYTCVVENKFGSIRQTYTLDVLERSPHRPIL
OAGLPANOTAVLGSDVEFHCKVYSDAQPHIQWLKHVEVNGSKVGPDGTPYVTVLKSWI
SESVEADVRLRLANVSERDGGEYLCRATNFIGVAEKAFWLSVHGPRAAEEELVEADEA
GSVYAGILSYGVGFFLFILVVAAVTLCRLRSPPKKGLGSPTVHKISRFPLKRQVSLES
NASMSSNTPLVRIARLSSGEGPTLANVSELELPADPKWELSRARLTLGKPLGEGCFGQ
VVMAEAIGIDKDRAAKPVTVAVKMLKDDATDKDLSDLVSEMEMMKMIGKHKNIINLLG
ACTQGGPLYVLVEYAAKGNLREFLRARRPPGLDYSFDTCKPPEEQLTFKDLVSCAYQV
ARGMEYLASQKCIHRDLAARNVLVTEDNVMKIADFGLARDVHNLDYYKKTTNGRLPVK
WMAPEALFDRVYTHOSDVWSFGVLLWEIFTLGGSPYPGIPVEELFKLLKEGHRMDKPA
NCTHDLYMIMRECWHAAPSQRPTFKQLVEDLDRVLTVTSTDEYLDLSAPFEQYSPGGQ
DTPSSSSSGDDSVFAHDLLPPAPPSSGGSRT"
join(<5018..5287,5511..5576,7131..7300,7384..7507,
7599...7789, 9456...9600, 10094...10284, 10588...10733,
11119..11240, 11323..11433, 11514..11704, 11815..11937,
12021..12091,12310..12447,12593..12698,12880..13026)
/gene="FGFR3"
/note="alternatively spliced"
/codon start=3
/product="fibroblast growth factor receptor 3"
/protein id="AAM22078.1"
/db xref="GI:20452380"
/translation="VPGPEPGQQEQLVFGSGDAVELSCPPPGGGPMGPTVWVKDGTGL
VPSERVLVGPQRLQVLNASHEDSGAYSCRQRLTQRVLCHFSVRVTDAPSSGDDEDGED
EAEDTGVDTGAPYWTRPERMDKKLLAVPAANTVRFRCPAAGNPTPSISWLKNGREFRG
EHRIGGIKLRHQQWSLVMESVVPSDRGNYTCVVENKFGSIRQTYTLDVLERSPHRPIL
OAGLPANOTAVLGSDVEFHCKVYSDAOPHIOWLKHVEVNGSKVGPDGTPYVTVLKTAG
ANTTDKELEVLSLHNVTFEDAGEYTCLAGNSIGFSHHSAWLVVLPAEEELVEADEAGS
VYAGILSYGVGFFLFILVVAAVTLCRLRSPPKKGLGSPTVHKISRFPLKRQVSLESNA
SMSSNTPLVRIARLSSGEGPTLANVSELELPADPKWELSRARLTLGKPLGEGCFGQVV
MAEAIGIDKDRAAKPVTVAVKMLKDDATDKDLSDLVSEMEMMKMIGKHKNIINLLGAC
TQGGPLYVLVEYAAKGNLREFLRARRPPGLDYSFDTCKPPEEQLTFKDLVSCAYQVAR
GMEYLASQKCIHRDLAARNVLVTEDNVMKIADFGLARDVHNLDYYKKTTNGRLPVKWM
APEALFDRVYTHQSDVWSFGVLLWEIFTLGGSPYPGIPVEELFKLLKEGHRMDKPANC
THDLYMIMRECWHAAPSQRPTFKQLVEDLDRVLTVTSTDEYLDLSAPFEQYSPGGQDT
PSSSSGDDSVFAHDLLPPAPPSSGGSRT"
5018..5287
/gene="FGFR3"
/number=3
5511..5576
/gene="FGFR3"
/number=4
```

CDS

exon

exon

```
7131..7300
     exon
                      /gene="FGFR3"
                      /number=5
                      7384..7507
     exon
                      /gene="FGFR3"
                      /number=6
                    . 7599..7789
     exon
                      /gene="FGFR3"
                      /number=7
                      8678..8828
     exon
                      /gene="FGFR3"
                      /note="alternatively spliced"
                      /number=8
                      9456..9600
     exon
                      /qene="FGFR3"
                      /note="alternatively spliced"
                      /number=9
                      10094..10284
     exon
                      /gene="FGFR3"
                      /number=10
                      10588..10733
     exon
                      /gene="FGFR3"
                      /number=11
                      11119..11240
     exon
                      /gene="FGFR3"
                      /number=12
                      11323..11433
     exon
                      /gene="FGFR3"
                      /number=13
                      11514..11704
     exon
                      /gene="FGFR3"
                      /number=14
                      11815..11937
     exon
                      /gene="FGFR3"
                      /number=15
                      12021..12091
     exon
                      /gene="FGFR3"
                      /number=16
                      12310..12447
     exon
                      /gene="FGFR3"
                      /number=17
                      12593..12698
     exon
                      /gene="FGFR3"
                      /number=18
                      12880..>13026
     exon
                      /gene="FGFR3"
                      /number=19
BASE COUNT
                         5296 c
                                  5682 g
                                            3251 t
               2747 a
ORIGIN
```

1 cagctaccct ccaagtgcga ggccaccacg gggagccagg ctgggggttg gcgtccgcag

```
61 ccccqatccc ctqcqactcc ctaqccctqq cctqtcggga gggcgcggggg ggccccattt
 121 ccacgattcc cgctgttgtt attcgggttc tgcgcagacg gaaagttccc attgttggcg
 181 tocccotoco cogggeocca gtttgtggco agettcageo aaggegagag accggaette
 241 taagggtggg tgtgcgcgtc agcgaagcc ggccctgcc cgcccgaaga ggcagcagcc
 301 tocagogtee cogetgeega coetgeecet geetggggge egagggeget teccegtggg
 361 tgcgcgccqa gctccaggca agcgaggggc gcgtgtccca gcgtcgcggg ccctagactg
 421 ggctggcggt ccaggtcccg cgggacgtcg agggtctgaa gggaggtccc aaggggcgag
 481 gggaggggaa ggggcgcccg gccggacctg cacacgcgcc gcggttcctc gtgggccggg
 541 ccgagagete cggtgccgcc gccgcgtaca cccgcagccg gctccggacg ggcgaggggg
 601 gcgcgcacag ctcagcccgg cggccgcgcg gagggaggcc ttggcccggt gagctcgcgc
 661 cccacccggg ccgaggcccg aacagccgct tctttgtacc tcgacgcggc cacagaccgc
 721 gcattgatgg cggctcggcg gctcgcgggg aggtgtgagc gaccgcgggc gcggggcc
 781 ggggagggcg cctggagggc cgaggcagat ggcgtccgcc ccgcccgcgc ccccgcgccc
 841 ctttctccgt cggcggctgc agcctcccgg aacaatgtca tttttttat gaatgaaagt
 901 ggccggcgc ttgaatgtgc gtgtcattca gcggcgtgac aggggccgtc gggaggtcag
 961 cgcgcgcttt tagcgtctgc tcgggcggcc ccgcttccag gggtgccgga ggggcggccg
1021 cggggggagc ttggctttcg cattctcatt cagataaaga tattactccc tacggcccgg
1081 gaatgtcagc cagcccggg gaagggcggc ggccaggctg cggagcctct cctggacccc
1141 ctgcgggcgc gcggggcctc ccccagtcgc tcctggaacg ccccgcccac ccctcccccg
1201 gggcggcgcc cccgcccgca ctggagctgg tgaaacaggt agtgagttga tcggtcaata
1261 aacttaatcc ggttccttaa caagatgggc cgggcagtaa aaatacaaag acctcgtgaa
1321 atggactgag gtctaggctg gcgcttgccc gggaacataa attatggagc cttggctcgc
1381 aggggtcaag ggcggtggga aaggttttgg ccactggact gccctggcca ccccaggccc
1441 tqccaqqaca qcccccatct ccccaggggg ccgtattcct ggttgggacc tggagtgacc
1501 ccccagggtg cagggaggta gacaaggtcg gctctcccac agtcccaccc cacccagcag
1561 gggtctgggg gtgcagggcc tttcccgaag gtgctggctg caacctcccc cactcctcct
1621 ctgcagggct ggactttgag ccgcgtgggc ctctgggtgg ttcattaacc tgggctgagc
1681 ctggcctcca ggtccttgtg tgagcctagg aaccccttgt tacccacccc ccagctcccc
1741 agccctcagg teteacttqq qqctagatet qqqqetqcgg cacccettgt tacagetqag
1801 cttgagtggg agcccagggg cttggggtct cctggaggac ggggatctaa agtcacctca
1861 tctagggagg catgcagccc tcacctgagt gattcaggag tgaatgagcc aggagtggag
1921 ccacctttgg tggggtaggg gtcagcctgg acctctaggc tgccagctca ggctcgggtg
1981 ccctcttcga acctcagttt ccttacctgt ccaagagaac cgataatggc aggctgtttg
2041 aaggattagg ccagataacc ctggcaagcc ctctttagcc tgcccagcct ccagatccct
2101 tttttccgga ctttattgtg aaactccagg tggggagaca gggaggctgg acttttgggg
2161 gcccctcct cttaggctat tttatagctc ctacctggca atacctcctg taccccagag
2221 agctgcagag aacttcatgt gcatccgaaa ccagaatgtg ttgtttcctg accccaggcc
2281 ctcatctcac cccaaaaccc aaataaaccc ctggggcagc cagctccgga agcgagtctg
2341 gatttgatcc ttgttctctg gggtcaaccc gaggggctta tgatggagca aggctccccc
2401 atcctctcag ccatgctccc tcacatgcac tgggcctcca ctgcagagac ccagagcctg
2461 gagaaaggtt ccccaggcca gagtttggcc gtccccagca ccctgcctaa tggacatcag
2521 tettqqqqcc agagacccag ggcagggagc gcctctcacc cctaccctca ctcctgcagc
2581 catttcaggg cctggtgccc tccctgagct cctgggcctg tggggtggga tttttacttt
2641 gtgccacagt gggggaaact gaggtacagg accagtgagt ggcagagttg tggagactct
2701 gggacacagc agagggctgt cgttggcatg tggagcccaa gttgaggtcg gcactgtgtg
2761 gggttggggc gccggcagga gcacgtgttg tgggatccat agaagggtgg gaggtgggac
2821 gcgttgcctc ctaccccqcc ttgggtacag caggagtttt gtctccaacg tgtttgggca
2881 ccagtgtctg tgtggtgtca gtggggcctc ccttttgtgg atcaagaaag aaagaaccct
2941 tcctagggct gctggggggc tatagctctc cccatgcctg gcagctgggt ggggtatggg
3001 ggctccaccc aactgctgac ttcccagtgg gagtcagacc ctgaacttat agcacccact
```

3061	catgccccgt	atcacactat	ccttcaccta	atactcacca	cccarcccct	actagagtac
	cctggcctct					
	ccccaccaca					
	gtccccccgt					
	gccactcaga					
	ggctgccata					
	ggtggtcccc					
	ctgactgcgg					
	tccttcggat					
	actaggcgtg					
	gggactggtg					
	atgacaagtg					
	cacccacccc					
	ggcagggaag					
	caggetttgg					
	cacatctgcc					
	ggctgctgac					
	gggggcccca					
	cctgggcctc					
	gtactttgct					
	ctgcaggata					
	cgctgctccg					
	cggccacgtg					
	gaactgcttt					
	tgaatctgca					
	cagtcagagg					
	tgccgcctgt					
	cgaagagtca					
	tcatggggcc					
	gaggcagacc					
	cccttttggg					
	cttcctcact					
	ggggtgcctg					
	cagcaggagc					
	gggggtggtc					
	gagcgtgtcc					
	ggggcctaca					
	gtgacaggtg					
	gagtccctgc					
	cacccccagg					
	ggcctcctgg					
	ctcgggagat					
	gagcagggtc					
	ccttcacagg					
	gtctggtccc					
	cctggtggca					
	agggccctgg					
	tggctatagg					
	ctgccgtggg					
	gggcagggtg					
	_					

		cctggcgtcc				
		tggggcttct				
		gcacagacat	a contract of the contract of			
		gccagtgggg				
		actcaccctg				
		tccagcctgt				
		ggagggggct				
		cccatccttg				
		cagttgggct				
6601	gaggcagggc	ctccagggtg	ccaccgtctc	tgggtgcccg	ccagacttgg	agctctgcag
		agggtcttga				
6721	tggctctgca	ggcgactggg	ctcctctcct	ggtaaactgc	tcccaggtcc	tggcttgtcc
6781	actagatggg	cctgccccct	gggtcttcag	tctccccgtt	ggtgggcctg	gccctggcac
6841	gcctctctgg	gcaggtgggc	tcccctggac	aatgccctgt	gccctgtgac	ttcacaggtc
6901	cgggcagagc	accctggagg	ggaggggagg	ggacacacgg	cccagctctg	agaaagcccc
6961	ggggaggga	caagatgtgg	aggctcctgg	gaacctcatc	ccgccctctt	cctacacagg
7021	acgggaaact	gaggctgggg	atgggcaggg	gcagctctgg	gaagggggtt	gttcagaggg
7081	gcctctgctc	ccactcgggt	catggccttc	acacgcacct	cggcccgcag	gggcccctta
7141	ctggacacgg	cccgagcgga	tggacaagaa	gctgctggcc	gtgccggccg	ccaacaccgt
7201	ccgcttccgc	tgcccagccg	ctggcaaccc	cactccctcc	atctcctggc	tgaagaacgg
7261	cagggagttc	cgcggcgagc	accgcattgg	aggcatcaag	gtgggcgcgg	cggggtggct
7321	ctgggcctgg	caggcgcggt	ggttgctgcc	tccgctcact	cacccgcccg	cgtcccggtg
		atcagcagtg				
		gcgtcgtgga				
		agggccctgg				
		ggcccctgag				
		gggctgccgg				
		tacagtgacg				
		gtgggcccgg				
		ggtgccgccg				
		gaggatttgg				
		ccaagtctca				
		tgtctgcaga				
	-	cttgggggtg				
		aagccctcca				
		ggctctcgtc				
		cttagctttg				
		caaagcccaa				
		gcgcagggcg				
		ggtacaggtt				
		tctgggctgg				
		tgaagtgcct				
		tgtaccttgg				
		cctgagccgg				
		cgcctccgcc				
		aatttcatag				
		aacgactctg				
		ccctgcacgc				
		ggccgcctcg				
		tggcctgcgc				
2001	cogagecety	cygoocyc	ogueceeee	agaaagaaag	agaccccac	-33~33~3~

6 of 9 1/18/03 7:56 PM

9061	cggtgcccac	cgggccggct	ccgtgccgtc	tgtgagcacc	cctttgcgcc	tctctccacc
					tgtgtccatc	
					cctgccgctc	
					ccggtgtacc	
					ggagttggtg	
					cggtgcccgc	
					gggcgctaac	
					ggacgccggg	
					gtggctggtg	
					gggacgctgg	
					gccgtcccgc	
					cctggcccgg	
					gggtccccaa	
					gactggctgg	
					ttactgactg	
					cccagtggtg	
					ccaggccagg	
					aggcgggcag	
					tggtggtggc	
					ccccaccgt	
					accaggttct	
					tcctgggctg	
					accatgtaga	
					tggtggaagt	
					gccctgtcgc	
					ccaacgcgtc	
					agggcccac	
					tgtctcgggc	
					ggggtgaaac	
					ggatgttggg	
					ctgcccctct	
					ctcttcgtcc	
					tctgggcctc	
					agtttgcaca	
11101	ctctgcctcc	actgccaggc	tgaccctggg	caagcccctt	ggggagggct	gcttcggcca
					gccgccaagc	
					ggtgcagagc	
11281	gcgccgccgc	cgcctgacac	aggccccccg	ctccgtgcac	agacgatgcc	actgacaagg
11341	acctgtcgga	cctggtgtct	gagatggaga	tgatgaagat	gatcgggaaa	cacaaaaaca
11401	tcatcaacct	gctgggcgcc	tgcacgcagg	gcggtaggtg	cggtagcggc	ggtggtgccg
11461	gctgggcggc	cctcctgggc	ctggcagccc	gtctgaggag	cccgtgtccc	cagggcccct
11521	gtacgtgctg	gtggagtacg	cggccaaggg	taacctgcgg	gagtttctgc	gggcgcggcg
11581	gccccgggc	ctggactact	ccttcgacac	ctgcaagccg	cccgaggagc	agctcacctt
11641	caaggacctg	gtgtcctgtg	cctaccaggt	ggcccggggc	atggagtact	tggcctccca
11701	gaaggtgggc	agggcggcag	gtgtgggtgg	agtaggctgg	gccctgccct	gagatgctgg
11761	gagcagcggg	gagaggtgga	gaggcttcag	ccctgcctcc	caccccttcc	ccagtgcatc
					acaacgtgat	
					acaagaagac	
					ggacgcctgg	
					gatggcgcct	

7 of 9

					ctgcagagct	
					cagtccccag	
					gcagcgcagc	
					ggacagcctg	
					ttcacgctgg	
					aaggagggcc	
					ctggccctcc	
					tggcagccct	
					ccctgcccgc	
					caccttcaag	
					gagtgctggc	
					tcctgccccc	
					aggtggctgt	
					agtacctgga	
					gctccagctc	
					ccagcagtgg	
					tagcagccca	
					gagagacagc	
13141	tttggtctgt	gtgtgtgtgt	gtgcgtgtgt	gtgtgtgtgt	gcacatccgc	gtgtgcctgt
					gtgtccccgc	
13261	cggtctcctg	actggtgctg	cagcaccgag	gggcctttgt	tctgggggga	cccagtgcag
13321	aatgtaagtg	ggcccacccg	gtgggacccc	gtggggcagg	gagctgggcc	cgacatggct
13381	ccggcctctg	cctttgcacc	acgggacatc	acagggtggg	cctcggcccc	tcccacaccc
13441	aaagctgagc	ctgcagggaa	gccccacatg	tccagcacct	tgtgcctggg	gtgttagtgg
13501	caccgcctcc	ccacctccag	gctttcccac	ttcccaccct	gcccctcaga	gactgaaatt
13561	acgggtacct	gaagatggga	gcctttacct	tttatgcaaa	aggtttattc	cggaaactag
13621	tgtacatttc	tataaataga	tgctgtgtat	atggtatata	tacatatata	tatataacat
13681	atatggaaga	ggaaaaggct	ggtacaacgg	aggcctgcga	ccctgggggc	acaggaggca
13741	ggcatggccc	tgggcggggc	gtggggggc	gtggagggag	gccccagggg	gtctcaccca
13801	tgcaagcaga	ggaccagggc	tttttctggc	accgcagttt	tgttttaaaa	ctggacctgt
13861	atatttgtaa	agctatttat	gggcccctgg	cactcttgtt	cccacacccc	aacacttcca
13921	gcatttagct	ggccacatgg	cggagagttt	taatttttaa	cttattgaca	accgagaagg
13981	tttatcccgc	cgatagaggg	acggccaaga	atgtacgtcc	agcctgcccc	ggagctggag
14041	gatcccctcc	aagcctaaaa	ggttgttaat	agttggaggt	gattccagtg	aagatatttt
14101	atttcctttg	tcctttttca	ggagaattag	atttctatag	gatttttctt	taggagattt
14161	attttttgga	cttcaaagca	agctggtatt	ttcatacaaa	ttcttctaat	tgctgtgtgt
14221	cccaggcagg	gagacggttt	ccagggaggg	gccggccctg	tgtgcaggtt	ccgatgttat
14281	tagatgttac	aagtttatat	atatctatat	atataattta	ttgagttttt	acaagatgta
14341	tttgttgtag	acttaacact	tcttacgcaa	tgcttctaga	gttttatagc	ctggactgct
14401	acctttcaaa	gcttggaggg	aagccgtgaa	ttcagttggt	tcgttctgta	ctgttactgg
14461	gccctgagtc	tgggcagctg	tcccttgctt	gcctgcaggg	ccatggctca	gggtggtctc
14521	ttcttggggc	ccagtgcatg	gtggccagag	gtgtcaccca	aaccggcagg	tgcgattttg
14581	ttaacccagc	gacgaacttt	ccgaaaaata	aagacacctg	gttgctaacc	tggccctgtg
14641	ctttctgtct	ccagttctgg	gataggggag	ggaggggtca	ctttgccagg	tggtcccagt
14701	tgcgcgggat	ggatgctggc	agcagcaccg	aaagtcactg	gtgggctggg	agccccaaga
					gggtgcctgg	
14821	ccctggctgc	tcccagcttg	tgggttcctg	aggtggtggt	ggtggtgggg	agggtccttt
					cctggcatcc	
14941	tcagctgggg	agctttctgg	gcatccctct	atggagccaa	aagcaagcaa	agccctcatg
15001	gggccctggg	ggctacacag	gcggtcactc	tcctccagat	cagctctctg	ccctcccagg
				•		

```
15061 ccgggcaacc agtgccccca ctgccttggg ctccatcagg gtcccctaca gtgataaagc
15121 acctttgggc agatgaggtg ctgagaaccc agagatggaa ccaggccctt gcccaagttc
15181 ataqccctaq cagggtggga ggacaacatg gtgagagcaa gtctgggaag gcttcctgga
15241 ggaggtgtgc cgtctctcct gactccccac caccctcttt gctgtcctcc cttctqctat
15301 cctccctctc ttgtcctccc gtttttccca tctctgctgt ccccacctct gtcgtcctcc
15361 ttctqctctc ctcccccat cccctctgct ctccctacct ctgctgtccc ctctgccgtc
15421 ctcctctqc tctcctcccc tctqctqqct caagagcagg gtttcccaac catgagctqc
15481 atgaactcta gcttctaaaa tgctctggct acaaactcac ctttcaggtc agggggtact
15541 gctggccgt ttcctgggca ggcaagggtt taactcaacc ccattcaggg aagcacgtgt
15601 gggcgcaggc ctggtggaag tggccttaca agggactctg catccctaat gcccccactt
15661 gcccaqaaac cctatgctgg gccccagagg caggcctggc catgggacgc ctggtgacag
15721 tggcaggatg gggaggccca catgggcctg aaggctgagg cctgcagggc agtgggggga
15781 ccaqqccaac aggcaggcag tgccagcatc cacaccaagg caggcagagc atggggctcg
15841 aagcgcgggc cgggagcgcc ccctagcgct ggctgggcag tgtccctgct acaaacccaa
15901 ggcccctctc ctgtcagggc tctggtggac ctctggtggg cacagtggga tcctgaatgg
15961 gtgctgggga ccaaagggct gggccaccgg gagaacagtg gcccatgaag gtgctggtgg
16021 gccagcccc tcctcctcag cgtgcttcct tagcgacccc agatggcagg gcacagtccc
16081 tqaaqctqcc ccaccagggg ctccctggct gcctccccgt cccataaggt gagcccatga
16141 gagaccccaq ctgtcagcac aactgaacct ccgccatcag ggtgccctct agtggttggg
16201 tgtgctctag gctggcaggg tccccgccct tgctgtctgc tgatggctga gggggacatg
16261 tctcatggga ggcccagctt ccaggacaca actggtggct cctggggtca ccaagggcac
16321 ctggtttgtt cacagetett tgggetgetg tececatgag ggageacete ecaceceage
16381 tqtqqqtcca tcatttcctc tgattaatta gggcctaggg gtcaagggag gccccgaggg
16441 aggactetea gtgtgaacaa accageagee agggeegeag agaageetgt gaggtgeeea
16501 caqqqcctqq tcccaqtqtq ggcaqaqcac ctaagggatq gcttctqtcc actgaqaagg
16561 gtcgggagcc aagacaccac actgctatcc tggcgctgga accatccacg cactcctgca
16621 gccaggccac gctgaggcag gtaggcaccc agaggtccgg gctgggggct gctctccatg
16681 gccccaggcc atcacacatc cctcagggcg tctgggccct gcctgtgggc tggactgcag
16741 gctgaaggcc ctgcctcatc caggactccc tagggcagta ctcggtgctc tttcccctca
16801 gcggcctgag gagtctttca gaagagctgg ccctcctggg tgacacctcg gcgagggtcc
16861 cagcccctaa ccccaggact cccaagaagt cactgaggtc cccagagcag ggagagcatg
16921 accaggtggc agggccactg gcctggagaa cgtcccacac tgttccatga gcagct
```

1/18/03 7:56 PM

//

```
F245114. Homo sapiens fibr...[gi:7533124]
```

Links

2184 bp mRNA linear PRI 28-MAR-2002 LOCUS AF245114 DEFINITION Homo sapiens fibroblast growth factor receptor 3 (FGFR3) mRNA, complete cds, alternatively spliced. ACCESSION AF245114 AF245114.1 GI:7533124 VERSION KEYWORDS SOURCE Homo sapiens (human) ORGANISM Homo sapiens Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo. REFERENCE 1 (bases 1 to 2184) Terada, M., Shimizu, A., Sato, N., Miyakaze, S.I., Katayama, H. and AUTHORS Kurokawa-Seo, M. Fibroblast growth factor receptor 3 lacking the Ig IIIb and TITLE transmembrane domains secreted from human squamous cell carcinoma DJM-1 binds to FGFs Mol. Cell Biol. Res. Commun. 4 (6), 365-373 (2001) JOURNAL MEDLINE 21561228 PUBMED 11703096 2 (bases 1 to 2184) REFERENCE Terada, M., Shimizu, A. and Seo, M. AUTHORS Secretion and dimerization of the FGFR3 isoform, resulting from TITLE alternative splicing, that is expressed in human malignant trichilemmal cyst cell Unpublished JOURNAL REFERENCE 3 (bases 1 to 2184) Terada, M., Shimizu, A. and Seo, M. AUTHORS TITLE Direct Submission Submitted (14-MAR-2000) Biotechnology, Kyoto Sangyo University, JOURNAL Kamigamo-Motoyama, Kita-Ku, Kyoto 603-8555, Japan **FEATURES** Location/Qualifiers 1..2184 source /organism="Homo sapiens" /db xref="taxon:9606" /chromosome="4" /map="4p16.3" /cell line="DJM-1" /cell_type="malignant trichilemmal cyst cell" 1..2184 gene /gene="FGFR3" 40..2124 CDS /gene="FGFR3" /note="tyrosine kinase; IqIII C-terminal and transmembrane deleted isoform; alternatively spliced" /codon start=1

```
/product="fibroblast growth factor receptor 3"
/protein_id="AAF63380.1"
/db xref="GI:7533125"
```

/translation="MGAPACALALCVAVAIVAGASSESLGTEQRVVGRAAEVPGPEPG QQEQLVFGSGDAVELSCPPPGGGPMGPTVWVKDGTGLVPSERVLVGPQRLQVLNASHE DSGAYSCRQRLTQRVLCHFSVRVTDAPSSGDDEDGEDEAEDTGVDTGAPYWTRPERMD KKLLAVPAANTVRFRCPAAGNPTPSISWLKNGREFRGEHRIGGIKLRHQQWSLVMESV VPSDRGNYTCVVENKFGSIRQTYTLDVLERSPHRPILQAGLPANQTAVLGSDVEFHCK VYSDAQPHIQWLKHVEVNGSKVGPDGTPYVTVLKVSLESNASMSSNTPLVRIARLSSG EGPTLANVSELELPADPKWELSRARLTLGKPLGEGCFGQVVMAEAIGIDKDRAAKPVT VAVKMLKDDATDKDLSDLVSEMEMMKMIGKHKNIINLLGACTQGGPLYVLVEYAAKGN LREFLRARRPPGLDYSFDTCKPPEEQLTFKDLVSCAYQVARGMEYLASQKCIHRDLAA RNVLVTEDNVMKIADFGLARDVHNLDYYKKTTNGRLPVKWMAPEALFDRVYTHQSDVW SFGVLLWEIFTLGGSPYPGIPVEELFKLLKEGHRMDKPANCTHDLYMIMRECWHAAPS QRPTFKQLVEDLDRVLTVTSTDEYLDLSAPFEQYSPGGQDTPSSSSSGDDSVFAHDLL PPAPPSSGGSRT"

BASE COUNT 386 a 722 c 732 g 344 t ORIGIN

```
1 eqeqqetqc etqaqqacqc egeggeeece geeeegeea tgggggeeec tgcetgegee
 61 ctcgcgctct gcgtggccgt ggccatcgtg gccggcgcct cctcggagtc cttggggacg
121 gagcagcgcg tcgtggggcg agcggcagaa gtcccgggcc cagagcccgg ccagcaggag
 241 cccatggggc ccactgtctg ggtcaaggat ggcacagggc tggtgccctc ggagcgtgtc
301 ctggtggggc cccagcggct gcaggtgctg aatgcctccc acgaggactc cggggcctac
361 agctgccggc agcggctcac gcagcgcgta ctgtgccact tcagtgtgcg ggtgacagac
421 gctccatcct cgggagatga cgaagacggg gaggacgagg ctgaggacac aggtgtggac
 481 acaqqqqccc cttactqqac acgqcccqaq cggatggaca agaagctgct ggccgtgccg
 541 geogecaaca cegteegett eegetgeeca geogetggea acceeactee etecatetee
 601 tggctgaaga acggcaggga gttccgcggc gagcaccgca ttggaggcat caagctgcgg
 661 catcagcagt ggagcctggt catggaaagc gtggtgccct cggaccgcgg caactacacc
721 tgcgtcgtgg agaacaagtt tggcagcatc cggcagacgt acacgctgga cgtgctggag
781 cgctcccgc accggcccat cctgcaggcg gggctgccgg ccaaccagac ggcggtgctg
841 qqcaqcqacq tqqaqttcca ctqcaaqqtq tacaqtgacq cacagcccca catccagtgg
901 ctcaaqcacq tggaggtgaa cggcagcaag gtgggcccgg acggcacacc ctacgttacc
961 gtgctcaagg tgtccctgga gtccaacgcg tccatgagct ccaacacacc actggtgcgc
1021 atcgcaaggc tgtcctcagg ggagggcccc acgctggcca atgtctccga gctcgagctg
1081 cctgccgacc ccaaatggga gctgtctcgg gcccggctga ccctgggcaa gccccttggg
1141 qaqqqctqct tcqqccaggt ggtcatggcg gaggccatcg gcattgacaa ggaccgggcc
1201 qccaaqcctq tcaccqtagc cgtgaagatg ctgaaagacg atgccactga caaggacctg
1261 tcggacctgg tgtctgagat ggagatgatg aagatgatcg ggaaacacaa aaacatcatc
1321 aacctgctgg gcgcctgcac gcagggcggg cccctgtacg tgctggtgga gtacgcggcc
1381 aagggtaacc tgcgggagtt tctgcgggcg cggcggcccc cgggcctgga ctactccttc
1441 gacacctgca agccgcccga ggagcagctc accttcaagg acctggtgtc ctgtgcctac
1501 caggtggccc ggggcatgga gtacttggcc tcccagaagt gcatccacag ggacctggct
1561 gcccgcaatg tgctggtgac cgaggacaac gtgatgaaga tcgcagactt cgggctggcc
1621 cgggacgtgc acaacctcga ctactacaag aagacaacca acggccggct gcccgtgaag
1681 tggatggcgc ctgaggcctt gtttgaccga gtctacactc accagagtga cgtctggtcc
1741 tttggggtcc tgctctggga gatcttcacg ctggggggct ccccgtaccc cggcatccct
1801 gtggaggagc tcttcaagct gctgaaggag ggccaccgca tggacaagcc cgccaactgc
1861 acacacqacc tqtacatqat catqcqgqaq tqctqgcatq ccqcqccctc ccaqaqqccc
```

1921 accttcaage agetggtga ggacetggae egtgteetta eegtgaegte caeegaeg 1981 tacetggaee tgteggege tttegageag tacteeegg gtggeeagga caeegaege 2041 teeageteet eaggggaega eteegtgttt geecaegaee tgetgeeee ggeeceaece 2101 ageagtggg getegeggae gtgaagggee aetggteee aacaatgtga ggggteeeta 2161 geageeetee etgetgetgg tgea

1/18/03 7:53 PM

```
>gi|7533124|gb|AF245114.1| Homo sapiens fibroblast growth factor receptor 3
(FGFR3) mRNA,
       complete cds, alternatively spliced
      Length = 2184
Score = 2397 bits (1209), Expect = 0.0
Identities = 1215/1217 (99%)
Strand = Plus / Plus
Query: 1040 aggtgtccctggagtccaacgcgtccatgagctccaacaccactggtgcgcatcgcaa 1099
        Sbjct: 968 aggtgtccctggagtccaacgcgtccatgagctccaacacaccactggtgcgcatcgcaa 1027
Query: 1160 accccaaatgggagctgtctcgggcccggctgaccctgggcaagccccttggggagggct 1219
        Sbjct: 1088 accccaaatgggagctgtctcgggcccggctgaccctgggcaagccccttggggagggct 1147
Query: 1220 gcttcggccaggtggtcatggcggaggccatcggcattgacaaggaccgggccgccaagc 1279
        Sbjct: 1148 gcttcggccaggtggtcatggcggaggccatcggcattgacaaggaccgggccgccaagc 1207
Query: 1280 ctgtcaccgtagccgtgaagatgctgaaagacgatgccactgacaaggacctgtcggacc 1339
        Sbjct: 1208 ctgtcaccgtagccgtgaagatgctgaaagacgatgccactgacaaggacctgtcggacc 1267
Query: 1340 tggtgtctgagatggagatgatgaagatgatcgggaaacacaaaaacatcatcaacctgc 1399
        Sbjct: 1268 tggtgtctgagatggagatgatgaagatgatcgggaaacacaaaaacatcatcaacctgc 1327
Query: 1400 tgggcgcctgcacgcagggcgggcccctgtacgtgctggtggagtacgcgggccaagggta 1459
        Sbjct: 1328 tgggcgcctgcacgcagggcgggcccctgtacgtgctggtggagtacgcggccaagggta 1387
Query: 1460 acctgcgggagtttctgcgggcgcgggcgccccggggcctggactactccttcgacacct 1519
        Sbjct: 1388 acctgcgggagtttctgcgggcgcgggcgccccggggcctggactactccttcgacacct 1447
```

Query:	1520	gcaagccgcccgaggagcagctcaccttcaaggacctggtgtcctgtgcctaccaggtgg	1579
Sbjct:	1448	gcaagccgcccgaggagcagctcaccttcaaggacctggtgtcctgtgcctaccaggtgg	1507
Query:	1580	cccggggcatggagtacttggcctcccagaagtgcatccacagggacctggctgcccgca	1639
Sbjct:	1508	cccggggcatggagtacttggcctcccagaagtgcatccacagggacctggctgcccgca	1567
Query:	1640	atgtgctggtgaccgaggacaacgtgatgaagatcgcagacttcgggctggcccgggacg	1699
Sbjct:	1568	atgtgctggtgaccgaggacaacgtgatgaagatcgcagacttcgggctggcccgggacg	1627
Query:	1700	tgcacaacctcgactactacaagaagacaaccaacggccggc	1759
Sbjct:	1628	tgcacaacctcgactactacaagaagacaaccaacggccggc	1687
		cgcctgaggccttgtttgaccgagtctacactcaccagagtgacgtctggtcctttgggg	
		cgcctgaggccttgtttgaccgagtctacactcaccagagtgacgtctggtcctttgggg	
		tcctgctctgggagatcttcacgctggggggctccccgtaccccggcatccctgtggagg	
		tcctgctctgggagatcttcacgctggggggctccccgtaccccggcatccctgtggagg .	
		agetetteaagetgetgaaggagggeeacegeatggacaagecegeeaactgeacacacg	
		agctcttcaagctgctgaaggagggccaccgcatggacaagcccgccaactgcacacacg	
		acctgtacatgatcatgcgggagtgctggcatgccgcgccctcccagaggcccaccttca	
		acctgtacatgatcatgcgggagtgctggcatgccgcgccctcccagaggcccaccttca	
		agcagctggtggaggacctggaccgtgtccttaccgtgacgtccaccgacgagtacctgg	
		agcagctggtggaggacctggaccgtgtccttaccgtgacgtccaccgacgagtacctgg	
		acctgtcggcgcctttcgagcagtactccccgggtggccaggacacccccagctccagct	
Sbjct:	1988	${\tt acctgtcggcgcctttcgagcagtactccccgggtggccaggacacccccagctccagct}$	2047

Query: 2240 accctgctgctggtgca 2256

Sbjct: 2168 tccctgctgctggtgca 2184

```
>qi|20452379|qb|AF487554.1|
                Homo sapiens fibroblast growth factor receptor 3
(FGFR3) gene, partial
       cds, alternatively spliced
     Length = 16976
Score = 1146 bits (578), Expect = 0.0
Identities = 602/611 (98%), Gaps = 1/611 (0%)
Strand = Plus / Plus
Query: 2913 tggccctgggcggggcgtnnnnnncgtggagggaggccccagggg-tctcacccatgca 2971
                     111111111111
Query: 2972 agcagaggaccagggctttttctggcaccgcagttttgttttaaaactggacctgtatat 3031
       Sbjct: 13805 agcagaggaccagggctttttctggcaccgcagttttgttttaaaactggacctgtatat 13864
Query: 3032 ttgtaaagctatttatgggcccctggcactcttgttcccacaccccaacacttccagcat 3091
       Sbjct: 13865 ttgtaaagctatttatgggcccctggcactcttgttcccacaccccaacacttccagcat 13924
Query: 3092 ttagctggccacatggcggagagttttaatttttaacttattgacaaccgagaaggttta 3151
       Sbjct: 13925 ttagctggccacatggcggagagttttaatttttaacttattgacaaccgagaaggttta 13984
Query: 3152 tcccgccgatagagggacggccaagaatgtacgtccagcctgccccggagctggaggatc 3211
       Sbjct: 13985 tcccgccgatagagggacggccaagaatgtacgtccagcctgccccggagctggaggatc 14044
Query: 3212 ccctccaagcctaaaaggttgttaatagttggaggtgattccagtgaagatattttattt 3271
       Sbjct: 14045 ccctccaagcctaaaaggttgttaatagttggaggtgattccagtgaagatattttattt 14104
```

Query: 3332 tttggacttcaaagcaagctggtattttcatacaaattcttctaattgctgtgtgtccca 3391

Sbjct: 14165 tttggacttcaaagcaagctggtattttcatacaaattcttctaattgctgtgtgtccca 14224

Query: 3392 ggcagggagacggtttccagggaggggccggccctgtgtgcaggttccgatgttattaga 3451

Sbjct: 14225 ggcagggagacggtttccagggaggggccggccctgtgtgcaggttccgatgttattaga 14284

Query: 3452 tgttacaagtt 3462

Sbjct: 14285 tgttacaagtt 14295

```
FILE 'MEDLINE, BIOSIS, CANCERLIT, LIFESCI, BIOTECHDS, CAPLUS' ENTERED AT
     20:01:05 ON 18 JAN 2003
L1
              8 S M64347###
              7 DUP REM L1 (1 DUPLICATE REMOVED)
L2
           7949 S (FGF(W)R) OR (FGF(W)R3) OR
L3
(FIBROBLAST (W) GROWTH (W) FACTOR (W) (R
        115579 S NEUROCYTOMA# OR PINEALOMA# OR GLIOMA# OR MEDULLOBLASTOMA#
OR
         132127 S (CEREBRAL OR (CHOROID(W)PLEXUS) OR CEREBELLUM OR
L5
HYPOTHALAMIC
         10081 S (CEREBRAL OR (CHOROID(W) PLEXUS) OR CEREBELLUM OR
HYPOTHALAMIC
L7
         204265 S L4 OR L5 OR L6
\Gamma8
            151 S L3 AND L7
            115 S L8 AND PY<2001
L9
            136 S L8 AND PY<2002
L10
            67 DUP REM L10 (69 DUPLICATES REMOVED)
L11
           1822 S (FGFR3 OR (FGF(W)R3) OR (FGF(W)RECEPTOR(W)3) OR
L12
(FIBROBLAST (W
             15 S L12 AND L7
L13
              6 DUP REM L13 (9 DUPLICATES REMOVED)
L14
          31656 S GOLUB?/AU OR LANDER?/AU OR POMEROY?/AU OR TAMAYO?/AU
L15
L16
              0 S L15 AND L8
              1 S L15 AND L12
L17
             10 S L15 AND L3
L18
            10 S L17 OR L18
L19
             4 DUP REM L19 (6 DUPLICATES REMOVED)
L20
```

1 1 1

L2 ANSWER 5 OF 7

MEDLINE

ACCESSION NUMBER:

2000408205 MEDLINE

DOCUMENT NUMBER:

20349276 PubMed ID: 10889045

TITLE:

Repeat polymorphisms within gene regions: phenotypic and

evolutionary implications.

AUTHOR:

Wren J D; Forgacs E; Fondon J W 3rd; Pertsemlidis A; Cheng

S Y; Gallardo T; Williams R S; Shohet R V; Minna J D;

Garner H R

CORPORATE SOURCE:

Program in Genetics, Southwestern Graduate School of

Biomedical Sciences, Dallas, TX, USA.

CONTRACT NUMBER:

P50CA70907 (NCI)

SOURCE:

AMERICAN JOURNAL OF HUMAN GENETICS, (2000 Aug) 67 (2)

345-56.

Journal code: 0370475. ISSN: 0002-9297.

PUB. COUNTRY:

United States

DOCUMENT TYPE:

Journal; Article; (JOURNAL ARTICLE)

LANGUAGE:

English

FILE SEGMENT:

Priority Journals

OTHER SOURCE:

GENBANK-AF013956; GENBANK-AF017789; GENBANK-AF032886; GENBANK-AF042838; GENBANK-AF047437; GENBANK-AF060231;

GENBANK-D14838; GENBANK-D83492; GENBANK-D86407; GENBANK-D86550; GENBANK-L08835; GENBANK-M55047; GENBANK-M60052; GENBANK-M60315; GENBANK-M64347; GENBANK-R12160; GENBANK-R42196; GENBANK-T47177; GENBANK-T62484; GENBANK-T63962; GENBANK-T70173; GENBANK-U49020; GENBANK-U60325; GENBANK-X55313; GENBANK-X70811; GENBANK-X78261; GENBANK-X82209;

GENBANK-Y00285; GENBANK-Y11525; +

ENTRY MONTH:

200008

ENTRY DATE: Entered STN: 20000901

Last Updated on STN: 20030105 Entered Medline: 20000821

AB We have developed an algorithm that predicted 11,265 potentially polymorphic tandem repeats within transcribed sequences. We estimate that 22% (2,207/9,717) of the annotated clusters within UniGene contain at least one potentially polymorphic locus. Our predictions were tested by allelotyping a panel of approximately 30 individuals for 5% of these regions, confirming polymorphism for more than half the loci tested. Our study indicates that tandem-repeat polymorphisms in genes are more common than is generally believed. Approximately 8% of these loci are within coding sequences and, if polymorphic, would result in frameshifts. Our catalogue of putative polymorphic repeats within transcribed sequences comprises a large set of potentially phenotypic or disease-causing loci. In addition, from the anomalous character of the repetitive sequences within unannotated clusters, we also conclude that the UniGene cluster count substantially overestimates the number of genes in the human

genome.

We hypothesize that polymorphisms in repeated sequences occur with some baseline distribution, on the basis of repeat homogeneity, size, and sequence composition, and that deviations from that distribution are indicative of the nature of selection pressure at that locus. We find evidence of selective maintenance of the ability of some genes to respond very rapidly, perhaps even on intragenerational timescales, to

fluctuating

selective pressures.

L2 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS ACCESSION NUMBER: 2001:758742 CAPLUS

DOCUMENT NUMBER: 135:314390

TITLE: Large-scale monitoring of expression patterns of

p53-regulated gene and analysis of p53 gene function

INVENTOR(S): Mack, David H.

PATENT ASSIGNEE(S): Affymetrix, Inc., USA

SOURCE: U.S., 46 pp., Cont.-in-part of Appl. No.

PCT/US98/01206. CODEN: USXXAM

DOCUMENT TYPE: Patent LANGUAGE: English

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

```
PATENT NO.
                                 DATE
                                                  APPLICATION NO.
                         KIND
                                                   US 1998-86285
                                                                       19980529
     US 6303301
                           В1
                                 20011016
                                                   WO 1998-US1206
                                                                       19980112
     WO 9830722
                          A1
                                 19980716
          W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE,
               DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG,
               KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, US, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ,
TM
          RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, DE, DK, ES, FI,
               FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM,
               GA, GN, ML, MR, NE, SN, TD, TG
                                                   US 2001-836278
                                                                       20010418
      US 2002028454
                           A1
                                 20020307
                                               US 1997-35327P P 19970113
PRIORITY APPLN. INFO .:
                                               WO 1998-US1206
                                                                   A2 19980112
                                               US 1997-49627P
                                                                   P 19970613
                                               US 1998-86285
                                                                   A3 19980529
```

This invention provides methods, compns. and app. for mapping the regulatory relationships of genes by massive parallel monitoring of gene expression. The information obtained can be of use in drug discovery (no data). The method uses high d. oligonucleotide arrays to monitor changes in expression in response to events and stimuli. Very large nos. of gene (>6,500) may be monitored in this method using samples from many tissues and developmental or disease stages. Changes are quantified and a relationship model constructed using LISREL (Linear Structure Relationship) methods. Mutations in up-stream regulatory genes can be detected by monitoring the change in down-stream gene expression. Similarly, the effect of a specific mutation in an up-stream gene is detd.

by monitoring the down-stream gene expression. In addn., regulatory function of a target gene can be detd. by monitoring the expression of a large no. of down-stream genes. The invention also provides specific embodiments for detecting p53 functional homozygous and heterozygous mutations and for detg. the function of p53 mutations.

REFERENCE COUNT: 46 THERE ARE 46 CITED REFERENCES AVAILABLE FOR THIS

RECORD. ALL CITATIONS AVAILABLE IN THE RE

FORMAT

ANSWER 1 OF 7 CAPLUS COPYRIGHT 2003 ACS ACCESSION NUMBER: 2002:241013 CAPLUS DOCUMENT NUMBER: 136:277466 Expressed gene sets as markers for specific tumors TITLE: Ramaswamy, Sridhar; Golub, Todd B.; Tamayo, Pablo; INVENTOR(S): Angelo, Michael Whitehead Institute for Biomedical Research, USA; PATENT ASSIGNEE(S): Dana-Farber Cancer Institute, Inc. PCT Int. Appl., 715 pp. SOURCE: CODEN: PIXXD2 Patent DOCUMENT TYPE: LANGUAGE: English FAMILY ACC. NUM. COUNT: PATENT INFORMATION:

PATENT NO.				KII	ND	DATE APPLICATION NO.					DATE						
WO 2002024956			 A	 2	2002	0328		WO 2001-US29287 200					2001	0919			
,,,	W:	AE.	AG.					AZ,						BZ,		CH,	CN,
		co,	CR,	CU,	CZ,	DE,	DK,	DM,	DZ,	EC,	EE,	ES,	FI,	GB,	GD,	GΕ,	
		GM,		HU,	ID,	IL,	IN,	IS,	JP,	KE,	KG,	KP,	KR,	ΚZ,	LC,	LK,	LR,
		LS,	LT,	LU,	LV,	MA,	MD,	MG,	MK,	MN,	MW,	MX,	ΜZ,	NO,	NZ,	PH,	PL,
		PT,	RO,	RU,	SD,									TT,		UA,	
		US,	UZ,	VN,										RU,		TM	
	RW:	GH,	GM,		LS,	MW,	MZ,	SD,	SL,	SZ,	TZ,	UG,	ZW,	AT,	ΒE,		CY,
		DE,												PT,			BF,
		ВJ,	CF,	CG,				GN,						SN,		ΤG	
WO	2002			A.		2002						A292		2001			
	w:	ΑE,	ΑG,	AL,	AM,	AT,	AU,	ΑZ,	BA,	BB,	BG,	BY,	BZ,	CA,	CH,	CN,	co,
						DK,	DM,	DZ,	EC,	EE,	ES,	FI,	GB,	GD,	GE,	GH,	GM,
			HU,	ID,										LC,			
		LT,	•	•										NZ,			
		RU,	•											UA, TM	UG,	05,	04,
	DET.	VN,	YU,		ZW,	AM,	AZ,	BY,	KG,	KZ,	MD,	KU,	TJ,		BE	СН	CV
	RW:	GH,	GM,		ъъ,	MM,	MZ,	SD,	ъr,	54, TT	14,	MC	AW,	AT,	OE,	TID	EF.
														PT, SN,			DI,
547	2002			A:	_	2002		GIV,						2001		10	
WO	Z002							Δ7.						CA,		CN.	co.
	٧٧ .	CB.	CU.	CZ.	DE.	DK.	DM.	DZ.	EC.	EE.	ES.	FI.	GB,	GD,	GE,	GH,	GM,
		-	HU,											LC,			
		LT,		•	MA,									ΝZ,			
		RU,	SD,	SE,	SG,		SK,							UA,			
		VN,	YU,	•	ZW,	AM,											
	RW:	GH,	GM,	KE,										AT,			
		DE,	DK,	ES,	FI,	FR,	GB,	GR,	IE,	IT,	LU,	MC,	NL,	PT,	SE,	TR,	BF,
		ВJ,	CF,	CG,	CI,	CM,	GΑ,	GN,						SN,	TD,	ΤG	
WO	2002			A.		2002						C292		2001			
	w:					AT,	AU,	AZ,	BA,	BB,	BG,	BY,	BZ,	CA,	CH,	CN,	co,
		CR,	CU,	CZ,	DE,	DK,								GD,			GM,
		HR,	HU,	•	IL,									LC,			
		LT,	LU,	•										NZ,			
		RU,	•	SE,	SG,				TJ,					UA,	UG,	US,	UΖ,
	DLI	VN,	YU,	•	ZW,	AM,	AZ,	BY,	KG,	KΖ,	MD,	RU,	TU,	TM	25	СĦ	CV
	KW:	GH,	GM,	KE,	ьS,	MW,	MZ,	SD,	ъь,	54, TT	17,	MC,	ΔW,	AT,	CE,	CΠ,	EF.
		DE,	DK,	ES,	EI,	EK,	GD,	GK,	CC TE'	CM,	MIT,	MD	ME.	PT,	ДД,	TG	, שנג
		BO,	Cr,	CG,	CI,	CIM,	GA,	GIV,	GΩ,	GW,	י ידויי	mr,	1415,	SN,	ıυ,	1 G	

20020402 AU 2001-92802 20010919 AU 2001092802 A5 20010919 US 2002110820 20020815 US 2001-955920 Α1 US 2000-233534P P 20000919 PRIORITY APPLN. INFO.: US 2001-278749P P 20010326 WO 2001-US29287 W 20010919

- AB Sets of genetic markers for specific tumor classes are described, as well as methods of identifying a biol. sample based on these markers. Total RNA was isolated from .apprx.300 human tumor and normal tissue specimens representing 30 individual classes of tumor or normal tissue, and cDNA produced using established mol. biol. protocols was hybridized to two
 - d. Affymetrix oligonucleotide microarrays (Hu6800FL and Hu35KsubA0). Raw expression data was combined into a master data set contg. the expression values for between 6800 and 16,000 genes expressed by each individual sample. A filter was applied to this data set which only allows those genes expressed at 3-fold above baseline and with an abs. difference in expression value of 100 to pass. By comparing the sets of genes which
- expressed specifically in one class of tumor (e.g., pancreatic adenocarcinoma) vs. its accompanying normal tissue (e.g., normal pancreas), sets of genes were detd. which are specific to various tumors and their normal tissue counterparts. Also described are diagnostic, prognostic, and therapeutic screening uses for these markers, as well as oligonucleotide arrays comprising these markers. [This abstr. record is one of 4 records for this document necessitated by the large no. of index entries required to fully index the document and publication system constraints.].
- L2 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2003 ACS

L2 ANSWER 7 OF 7 MEDLINE DUPLICATE 1

ACCESSION NUMBER: 92147110 MEDLINE

DOCUMENT NUMBER: 92147110 PubMed ID: 1664411

TITLE: A gene encoding a fibroblast growth factor receptor

isolated from the Huntington disease gene region of human

chromosome 4.

AUTHOR: Thompson L M; Plummer S; Schalling M; Altherr M R; Gusella

J F; Housman D E; Wasmuth J J

CORPORATE SOURCE: Department of Biological Chemistry, College of Medicine,

University of California, Irvine 92717.

CONTRACT NUMBER: NS25631-04 (NINDS)

SOURCE: GENOMICS, (1991 Dec) 11 (4) 1133-42.

Journal code: 8800135. ISSN: 0888-7543.

PUB. COUNTRY: United States

DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)

LANGUAGE: English

FILE SEGMENT: Priority Journals OTHER SOURCE: GENBANK-M64347

ENTRY MONTH: 199203

ENTRY DATE: Entered STN: 19920405

Last Updated on STN: 20000303 Entered Medline: 19920313

AB The gene responsible for Huntington disease (HD), an autosomal dominant neurodegenerative disorder, is located near the terminus of the short arm of chromosome 4. Detailed genetic linkage and physical mapping studies have defined a region of approximately 2.5 million basepairs where the disease gene is likely to be located. Efforts to identify the disease

are now focused on the identification and characterization of expressed genes in this region. Nucleotide sequence analysis of a cDNA clone derived

from the HD gene region has revealed that it encodes a member of the fibroblast growth factor subfamily of tyrosine kinase receptors, some members of which are known to be involved in the differentiation and survival of certain cell types within the central nervous system. Histochemical analysis using in situ hybridization revealed its

expression
in many areas of the brain, among them being the caudate and putamen. The
nature of this gene, FGFR3, and its map location make it a possible
candidate for the HD gene.

L2 ANSWER 6 OF 7 CAPLUS COPYRIGHT 2003 ACS ACCESSION NUMBER: 1999:641026 CAPLUS DOCUMENT NUMBER: 131:267987

TITLE: Cancer diagnosis and therapy based on expression

levels of p53-regulated genes

INVENTOR(S): Levine, Arnold J.; Murphy, Maureen E.; Mack, David

Н.;

Gish, Kurt C.; Tom, Edward Yat Wah

PATENT ASSIGNEE(S): Affymetrix, Inc., USA; Princeton University

SOURCE: PCT Int. Appl., 46 pp.

CODEN: PIXXD2

DOCUMENT TYPE:

LANGUAGE:

Patent English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

```
APPLICATION NO. DATE
                    KIND DATE
     PATENT NO.
                               -----
      _____
                        ____
     WO 9950456 A1 19991007 WO 1999-US6656 19990326
          W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ,
              DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ,
              MD, RU, TJ, TM
          RW: GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK,
              ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG,
              CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
                                           US 1998-49025
                                                                    19980327
     US 6020135
                              20000201
                        Α
     CA 2324444
                                               CA 1999-2324444 19990326
                         AA 19991007
                                              AU 1999-32085 19990326
EP 1999-914184 19990326
     AU 9932085
                        A1 19991018
                        A1 20010103
     EP 1064404
          R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
              IE, FI
                               20010109
                                                US 1999-442039
                                                                    19991117
     US 6171798
                         В1
                                                US 2001-755028
                                                                    20010108
     US 2001039013
                         A1
                               20011108
                                             US 1998-49025 A1 19980327
PRIORITY APPLN. INFO.:
                                             WO 1999-US6656
                                                               W 19990326
                                             US 1999-442039
                                                               A3 19991117
```

AB Many genes are identified as being p53-regulated which were not heretofore

known to be p53-regulated. This includes both genes whose expression is induced and genes whose expression is repressed by the expression of wild-type p53. The effects of p53 expression on gene expression in Eb-1 cells was tested by hybridizing to a chip that contains deoxyoligonucleotide sequences (25-mers) that derived from a database of 6800 known genes or EST sequences. Seventy genes were induced by p53 and 77 were repressed by p53. Monitoring expression of these genes is used

provide indications of p53 status in a cell. Such monitoring can also be used to screen for useful anticancer therapeutics, as well as for substances which are carcinogenic. Defects in p53 can be bypassed by supplying p53 induced genes to cells. Defects in p53 can also be

by supplying antisense constructs to p53-repressed genes.

REFERENCE COUNT: 9 THERE ARE 9 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE

FORMAT

to

L11 ANSWER 66 OF 67 CAPLUS COPYRIGHT 2003 ACS

1991:79455 CAPLUS ACCESSION NUMBER:

DOCUMENT NUMBER:

114:79455

TITLE:

Suppression of basic fibroblast growth factor expression by antisense oligodeoxynucleotides

inhibits

the growth of transformed human astrocytes

AUTHOR(S):

Morrison, Richard S.

Robert S. Dow Neurol. Sci. Inst., Good Samaritan CORPORATE SOURCE:

Hosp., Portland, OR, 97209, USA

SOURCE:

Journal of Biological Chemistry (1991),

266(2), 728-34

CODEN: JBCHA3; ISSN: 0021-9258

DOCUMENT TYPE:

Journal English

LANGUAGE:

Basic fibroblast growth factor (bFGF) is a heparin-binding protein expressing potent mitogenic and angiogenic properties. Elevated levels

of

AΒ

bFGF have recently been described in human glioma cell lines. The high degree of vascularity and invasiveness which characterize human gliomas suggest that activated expression of bFGF or similar proteins may be related to the aberrant growth patterns of these tumors. The influence of endogenous bFGF on glioma cell growth in vitro was evaluated in the present study by downregulating bFGF expression

antisense oligonucleotide primers. The addn. of 50 .mu.M bFGF-specific antisense primer to the human glioma cell line SNB-19 resulted in an 80% inhibition in glioma growth. This effect was saturable and specific. Antisense primers directed to 2 different sites of bFGF mRNA were effective in suppressing SNB-19 growth, whereas sense strand primer was ineffective. Furthermore, only the antisense primer significantly reduced the specific activity of bFGF protein in SNB-19

cell

exts. Neither antisense or sense primers inhibited the growth of non-transformed human glia. BFGF mRNA was detected in both transformed and nontransformed human glia by polymerase chain reaction anal. suggesting that alterations in bFGF isoform content or activity may be specifically related to abnormal growth control in human gliomas

L11 ANSWER 65 OF 67 MEDLINE DUPLICATE 26

ACCESSION NUMBER: 91342665 MEDLINE

DOCUMENT NUMBER: 91342665 PubMed ID: 1652059
TITLE: The human fibroblast growth

factor receptor genes: a common
structural arrangement underlies the mechanisms for

generating receptor forms that differ in their third

immunoglobulin domain.

AUTHOR: Johnson D E; Lu J; Chen H; Werner S; Williams L T

CORPORATE SOURCE: Howard Hughes Medical Institute, Program of Excellence in

Molecular Biology, University of California, San Francisco

94143-0724.

CONTRACT NUMBER: HL-43821 (NHLBI)

SOURCE: MOLECULAR AND CELLULAR BIOLOGY, (1991 Sep) 11 (9)

4627-34.

Journal code: 8109087. ISSN: 0270-7306.

PUB. COUNTRY: United States

DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)

LANGUAGE: English

FILE SEGMENT: Priority Journals

ENTRY MONTH: 199109

ENTRY DATE: Entered STN: 19911013

Last Updated on STN: 19970203 Entered Medline: 19910920

AB To determine the mechanisms by which multiple forms of fibroblast growth factor (FGF) receptors are generated, we have mapped the arrangement of exons and introns in the human FGF receptor 1 (FGFR 1) gene (flg). We found three alternative exons encoding a portion of the third

immunoglobulin (Ig)-like domain of the receptor. One of these alternatives

encodes a sequence that is part of a secreted form of FGFR 1. The other two encode sequences that are likely part of transmembrane forms of FGFR 1. One of these forms has not been previously reported in published cDNAs.

Also, we have determined the structural organization of a portion of the human FGFR 2 gene (bek) and found a similar arrangement of alternative exons for the third Ig-like domain. The arrangement of these genes suggests that there are conserved mechanisms governing the expression of secreted FGF receptors as well as the expression of at least two distinct membrane-spanning forms of the FGF receptors. The diverse forms appear to be generated by alternative splicing of mRNA and selective use of polyadenylation signals.

L14 ANSWER 6 OF 6 MEDLINE DUPLICATE 3

ACCESSION NUMBER: 97229252 MEDLINE

DOCUMENT NUMBER: 97229252 PubMed ID: 9075249

TITLE: Pediatric brain tumors express multiple

receptor tyrosine kinases including novel cell adhesion

kinases.

AUTHOR: Weiner H L; Rothman M; Miller D C; Ziff E B

CORPORATE SOURCE: Department of Neurosurgery (Pediatric Neurosurgery), New

York University Medical Center, NY 10016, USA.

CONTRACT NUMBER: P20 NS31088 (NINDS)

SOURCE: PEDIATRIC NEUROSURGERY, (1996 Aug) 25 (2) 64-71;

discussion

71-2.

Journal code: 9114967. ISSN: 1016-2291.

PUB. COUNTRY: Switzerland

DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)

LANGUAGE: English

FILE SEGMENT: Priority Journals

ENTRY MONTH: 199706

ENTRY DATE: Entered STN: 19970612

Last Updated on STN: 20000303 Entered Medline: 19970603

AB We have used the polymerase chain reaction to clone and characterize growth factor receptor tyrosine kinases (RTKs) expressed in 3 pathologically distinct pediatric brain tumors, an anaplastic ependymoma, a glioblastoma multiforme and a primitive neuroectodermal tumor (PNET). These neoplasms are presumed to be derived from embryonic neuroepithelial precursor cells of the central nervous system. This cloning demonstrated expression of 24 distinct kinase genes: 16 receptor type kinases and 8 nonreceptor type kinases. The expression

of
6 receptors, including Hek2, IRR, Ryk, FGFR3, and 2 members of
the newly identified cell adhesion kinase receptor family, DDR and TKT,

such tumors has not been reported previously. Northern analysis of mRNA levels revealed DDR expression in 6 of 7 pediatric brain tumors including an ependymoma, PNET, glioblastoma and astrocytoma, and also in an adult pheochromocytoma. Thus, the DDR cell adhesion kinase may be widely expressed in pediatric brain tumors. Also, PCR cloning may be an effective procedure for characterizing RTKs in clinical tissue samples and revealing the expression of novel RTK species.

WER 5 OF 6 MEDLINE DUPLICATE 2

ACCESSION NUMBER: 1999085118 MEDLINE

DOCUMENT NUMBER: 99085118 PubMed ID: 9864407

TITLE: Fibroblast growth factor-9 (glia-activating factor)

stimulates proliferation and production of glial

fibrillary

acidic protein in human gliomas either in the

presence or in the absence of the endogenous growth factor

expression.

AUTHOR: Miyagi N; Kato S; Terasaki M; Aoki T; Sugita Y; Yamaguchi

M; Shigemori M; Morimatsu M

CORPORATE SOURCE: Department of Pathology, Kurume University, School of

Medicine, Kurume, Japan.

SOURCE: ONCOLOGY REPORTS, (1999 Jan-Feb) 6 (1) 87-92.

Journal code: 9422756. ISSN: 1021-335X.

PUB. COUNTRY: Greece

DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)

LANGUAGE: English

FILE SEGMENT: Priority Journals

ENTRY MONTH: 199903

ENTRY DATE: Entered STN: 19990402

Last Updated on STN: 19990402 Entered Medline: 19990322

We tested fibroblast growth factor-9 (FGF-9) expression in human glioma cells (U251MG, T98G, U87MG, KALS-1, NMC-G1) and only NMC-G1 expressed endogenous FGF-9. All cells expressed bFGF and high affinity receptors for FGFs (FGFR1 and FGFR3). Exogenously supplied bFGF and FGF-9 both showed mitogenic activities in all cells. Neutralizing antibody against bFGF inhibited the proliferation in U251MG and NMC-G1, however that against FGF-9 inhibited the proliferation only in NMC-G1. GFAP expression was stimulated by both FGFs in these cells. FGF-9 potentially regulates proliferation and GFAP expression in human gliomas either in the presence or in the absence of the endogenous growth factor expression.

L14 ANSWER 4 OF 6 CAPLUS COPYRIGHT 2003 ACS ACCESSION NUMBER:

DOCUMENT NUMBER:

2001:756373 CAPLUS

136:51990

TITLE:

Expression profiling of medulloblastoma:

PDGFRA and the RAS/MAPK pathway as therapeutic

targets

for metastatic disease

AUTHOR(S):

MacDonald, Tobey J.; Brown, Kevin M.; LaFleur,

Bonnie;

Peterson, Katia; Lawlor, Christopher; Chen, Yidong; Packer, Roger J.; Cogen, Philip; Stephan, Dietrich A.

CORPORATE SOURCE:

Center for Cancer and Transplantation Biology,

Children's National Medical Center, Washington, DC,

USA

SOURCE:

Nature Genetics (2001), 29(2), 143-152

CODEN: NGENEC; ISSN: 1061-4036

PUBLISHER:

Nature America Inc.

DOCUMENT TYPE:

Journal English

LANGUAGE:

Little is known about the genetic regulation of medulloblastoma dissemination, but metastatic medulloblastoma is highly assocd. with poor outcome. We obtained expression profiles of 23 primary medulloblastomas clin. designated as either metastatic (M+) or non-metastatic (M0) and identified 85 genes whose expression differed significantly between classes. Using a class prediction algorithm based on these genes and a leave-one-out approach, we assigned sample class to these tumors (M+ or M0) with 72% accuracy and to four addnl. independent tumors with 100% accuracy. We also assigned the metastatic medulloblastoma cell line Daoy to the metastatic class. Notably, platelet-derived growth factor receptor .alpha. (PDGFRA) and members of the downstream RAS/mitogen-activated protein kinase (MAPK) signal transduction pathway are upregulated in M+ tumors. Immunohistochem. validation on an independent set of tumors shows significant overexpression of PDGFRA in M+ tumors compared to M0 tumors. vitro assays, we show that platelet-derived growth factor .alpha. (PDGFA) enhances medulloblastoma migration and increases downstream MAP2K1 (MEK1), MAP2K2 (MEK2), MAPK1 (p42 MAPK) and MAPK3 (p44 MAPK) phosphorylation in a dose-dependent manner. Neutralizing antibodies to PDGFRA blocks MAP2K1, MAP2K2 and MAPK1/3 phosphorylation, whereas U0126,

highly specific inhibitor of MAP2K1 and MAP2K2, also blocks MAPK1/3. Both

inhibit migration and prevent PDGFA-stimulated migration. provide the first insight into the genetic regulation of medulloblastoma metastasis and are the first to suggest a role for PDGFRA and the RAS/MAPK signaling pathway in medulloblastoma metastasis. Inhibitors of PDGFRA and RAS proteins should therefore be considered for investigation as possible novel therapeutic strategies against medulloblastoma.

REFERENCE COUNT:

THERE ARE 38 CITED REFERENCES AVAILABLE FOR

THIS

RECORD. ALL CITATIONS AVAILABLE IN THE RE

FORMAT

L14 ANSWER 3 OF 6 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.

ACCESSION NUMBER: 2001:265659 BIOSIS DOCUMENT NUMBER: PREV200100265659

TITLE: Crystal structure of fibroblast growth factor 9 reveals

regions implicated in dimerization and autoinhibition. Plotnikov, Alexander N.; Eliseenkova, Anna V.; Ibrahimi,

Omar A.; Shriver, Zachary; Sasisekharan, Ram; Lemmon, Mark

A.; Mohammadi, Moosa (1)

CORPORATE SOURCE: (1) Department of Pharmacology, New York University School

of Medicine, New York, NY, 10016 USA

SOURCE: Journal of Biological Chemistry, (February 9, 2001) Vol.

276, No. 6, pp. 4322-4329. print.

ISSN: 0021-9258.

DOCUMENT TYPE: Article
LANGUAGE: English
SUMMARY LANGUAGE: English

AB Fibroblast growth factors (FGFs) constitute a large family of

heparin-binding growth factors with diverse biological activities. FGF9 was originally described as glia-activating factor and is expressed in

the

AUTHOR(S):

nervous system as a potent mitogen for glia cells. Unlike most FGFs, FGF9 forms dimers in solution with a Kd of 680 nM. To elucidate the molecular mechanism of FGF9 dimerization, the crystal structure of FGF9 was determined at 2.2 ANG resolution. FGF9 adopts a beta-trefoil fold similar to other FGFs. However, unlike other FGFs, the N- and C-terminal regions outside the beta-trefoil core in FGF9 are ordered and involved in the formation of a 2-fold crystallographic dimer. A significant surface area (>2000 ANG2) is buried in the dimer interface that occludes a major receptor binding site of FGF9. Thus, we propose an autoinhibitory mechanism for FGF9 that is dependent on sequences outside of the beta-trefoil core. Moreover, a model is presented providing a molecular basis for the preferential affinity of FGF9 toward FGFR3.

L14 ANSWER 2 OF 6 MEDLINE DUPLICATE 1

ACCESSION NUMBER: 2001416780 MEDLINE

DOCUMENT NUMBER: 21359863 PubMed ID: 11466624
TITLE: Frequency of fibroblast growth
factor receptor 3 mutations in

sporadic tumours.

AUTHOR: Sibley K; Stern P; Knowles M A

development of certain types of tumour.

CORPORATE SOURCE: ICRF Clinical Centre, St. James's University Hospital,

Leeds, LS9 7TF, UK.

SOURCE: ONCOGENE, (2001 Jul 19) 20 (32) 4416-8.

Journal code: 8711562. ISSN: 0950-9232.

PUB. COUNTRY: England: United Kingdom

DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)

LANGUAGE: English

FILE SEGMENT: Priority Journals

ENTRY MONTH: 200108

ENTRY DATE: Entered STN: 20010813

Last Updated on STN: 20010813 Entered Medline: 20010809

AB Mutations in FGFR3 have been identified in several tumour types including bladder carcinoma, cervical carcinoma, and multiple myeloma. In bladder carcinoma, we recently identified FGFR3 mutations in 41% of tumours, making this the most frequently mutated putative oncogene identified in bladder cancer to date. We have now investigated the frequency of FGFR3 mutation in a panel of 125 tumours and 13 cell lines from various other organs. We analysed the mutation hotspots

exons 7, 10 and 15 by direct DNA sequencing, and found one mutation in exon 7 (S249C) in 1/28 (3.5%) cervical tumours. Mutations were not detected in stomach, rectum, colon, prostate, ovarian, breast, brain, or renal tumours, nor were they found in any of the cell lines included in this study. We conclude that FGFR3 is commonly mutated in bladder carcinoma and only rarely in cervical carcinoma. Several tumour types appear not to possess any mutations in FGFR3, suggesting that these mutations are important only in the

L20 ANSWER 3 OF 4 MEDLINE DUPLICATE 2

ACCESSION NUMBER: 1999308632 MEDLINE

DOCUMENT NUMBER: 99308632 PubMed ID: 10380925

TITLE: Diverse signaling pathways activated by growth factor

receptors induce broadly overlapping, rather than

independent, sets of genes.

COMMENT: Comment in: Cell. 1999 Jun 11;97(6):675-8

AUTHOR: Fambrough D; McClure K; Kazlauskas A; Lander E S

CORPORATE SOURCE: Whitehead Institute for Biomedical Research, Cambridge,

Massachusetts 02142, USA.

SOURCE: CELL, (1999 Jun 11) 97 (6) 727-41.

Journal code: 0413066. ISSN: 0092-8674.

PUB. COUNTRY: United States

DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)

LANGUAGE: English

FILE SEGMENT: Priority Journals

ENTRY MONTH: 199907

ENTRY DATE: Entered STN: 19990730

Last Updated on STN: 20000303 Entered Medline: 19990722

AB We sought to explore the relationship between receptor tyrosine kinase (RTK) activated signaling pathways and the transcriptional induction of immediate early genes (IEGs). Using global expression monitoring, we identified 66 fibroblast IEGs induced by platelet-derived growth factor beta receptor (PDGFRbeta) signaling. Mutant receptors lacking binding sites for activation of the PLCgamma, PI3K, SHP2, and RasGAP pathways still retain partial ability to induce 64 of these IEGs. Removal of the Grb2-binding site further broadly reduces induction. These results

suggest

that the diverse pathways exert broadly overlapping effects on IEG induction. Interestingly, a mutant receptor that restores the RasGAP-binding site promotes induction of an independent group of genes, normally induced by interferons. Finally, we compare the PDGFRbeta and fibroblast growth factor receptor 1;

each induces essentially identical IEGs in fibroblasts.

COPYRIGHT 2003 Univentio ANSWER 32 OF 33 PCTFULL 2001064882 PCTFULL ED 20020822 ACCESSION NUMBER: 1983, 52881, 2398, 45449, 50289, AND 52872, G TITLE (ENGLISH): PROTEIN-COUPLED RECEPTORS AND USES THEREFOR RECEPTEURS COUPLES A UNE PROTEINE G, NUMEROTEES 1983, TITLE (FRENCH): 52881, 2398, 45449, 50289, ET 52872, ET UTILISATIONS CORRESPONDANTES GLUCKSMANN, Maria, Alexandra; GALVIN, Katherine, M.; INVENTOR(S): SILOS-SANTIAGO, Inmaculada MILLENNIUM PHARMACEUTICALS, INC.; GLUCKSMANN, Maria, PATENT ASSIGNEE(S): Alexandra; GALVIN, Katherine, M.; SILOS-SANTIAGO, Inmaculada DOCUMENT TYPE: Patent PATENT INFORMATION: NUMBER KIND WO 2001064882 A2 20010907 AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR DESIGNATED STATES CU CZ DE DK DM DZ EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG US UZ VN YU ZA ZW GH GM KE LS MW MZ SD SL SZ TZ UG ZW AM AZ BY KG KZ MD RU TJ TM AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG APPLICATION INFO.: WO 2001-US6543 A 20010228 US 2000-60/186,059 20000229 PRIORITY INFO.: The subject can be a cancer patient e.g., a patient with brain DETD cancer, bone cancer, or

DETD The subject can be a cancer patient e.g., a patient with brain cancer, bone cancer, or prostate cancer. In other embodiments, the subject is a non-human anirrial, elg., an experimental animal, e.g., an aithritic rat niodel of. . .

is a method of evaluating a sample. The method includes providing a sample, e.g., from the subject, and determining a gene expression profile of the sample,

wherein the profile includes a value representing the level of 1983, 52881, 2398, 45449,

50289and52872expression.

ThemethodcanfLirtherincludecoillparingthevalueo

rtf-le

profile (i.e., multiple values) to a reference value or reference profile. The gene

expression profile of the sample can be obtained by
any of the methods described herein

1 5 (e.g., by providing a nucleic acid. . . an indication that the subject has or is disposed to having a disorders as described herein. The method can $\frac{1}{2}$

be used to monitor a treatment for such disorders in a subject. For example, the gene

expression profile can be determined for a sample
from a subject undergoing treatment.

ANSWER 22 OF 33 PCTFULL COPYRIGHT 2003 Univentio 2001083781 PCTFULL ED 20020826 ACCESSION NUMBER: 14094, A NOVEL HUMAN TRYPSIN FAMILY MEMBER AND USES TITLE (ENGLISH): THEREOF 14094, UN NOUVEAU MEMBRE DANS LA FAMILLE DE LA TITLE (FRENCH): TRYPSINE HUMAINE ET SON UTILISATION MEYERS, Rachel; MACBETH, Kyle, J. INVENTOR(S): MILLENNIUM PHARMACEUTICALS, INC.; MEYERS, Rachel; PATENT ASSIGNEE(S): MACBETH, Kyle, J. DOCUMENT TYPE: Patent PATENT INFORMATION: NUMBER KIND DATE WO 2001083781 A2 20011108 AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR DESIGNATED STATES CU CZ DE DK DM DZ EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG US UZ VN YU ZA ZW GH GM KE LS MW MZ SD SL SZ TZ UG ZW AM AZ BY KG KZ MD RU TJ TM AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG WO 2001-US13903 A 20010430 APPLICATION INFO .: US 2000-60/200,621 20000428 PRIORITY INFO.: US 2000-09/633,300 20000808 DETD . . . cancerous or pre-cancerous tissue where a 14094 polypeptide or nucleic acid is expressed, e.g., breast, ovanian, colon, liver, lung, kldney, or brain cancer. found in a tissue 1, where a 14094 polypeptide or nucieic acid is expressed, e.g., breast, ovarian, colon, liver, lung, kjdney, or brain cancer. cancer is a sarcoma, a carcinoma, or an adenocarcm'oma. Preferably, the cancer is a breast, ovarian, colon, lung, liver, kidney, or brain cancer. gastric cancer, esophageal cancer, rectal 5 cancer, pancreatic cancer, ovarian cancer, prostate cancer, utenne cancer, cancer of the head and neck, skin cancer, brain cancer, squamous cell carcinoma, sebaceous gland carcinoma. can further include compar-ing the value or the profile (1.e., multiple values) to a reference value or reference profile. The gene expression profile of the sample can be obtained by any of the methods described herein (e.g., by providing a nuclele acid from the sample. . . is an indication that the subject has or is disposed to having a cell proliferative disorder. The method can be used to monitor a treatment for a cell

protiferative disorder in a subject. For example, the gene expression profile can be

determined for a sample from a subject 75 undergoing treatment. The profile can be compared to a reference profile or to a profile obtained from the subject prior to treatment or prior to onset of the disorder (see, e.g., Golub et al. (I 999) Science 286:53 I). context, the off@LjL of one cell type on another cell type in response to a biological stimulus can be determined, e,g., to monitor the effect of cell-cell interaction at the level of gene expression, In another embodiment, cells are contacted With a therapeutic agent. The expression profile of the celis is determined using the array, and the expression profile is compared to the profile of llke celis not contacted ivith the agent. For example, the assay can be used to determine or analyze the molecular basis of an undesirable effect of the therapeutic agent. If an agent is administered therapeutically to treat one cell type but has an undesirable effect on another cell type, the invention provides an assay to determine. . .

L8 ANSWER 12 OF 20 MEDLINE

ACCESSION NUMBER: 2001393249 MEDLINE

DOCUMENT NUMBER: 21064203 PubMed ID: 11122874

TITLE: Application of advances in molecular biology to the

treatment of brain tumors.

AUTHOR: Takeshima H; Sawamura Y; Gilbert M R; Van Meir E G

CORPORATE SOURCE: Department of Neurosurgery, Faculty of Medicine, Kagoshima

University, 8-35-1 Sakuraga-oka, Kagoshima 890-8520,

Japan.. m2040k@khosp2.kufm.kagoshima-u.ac.jp

SOURCE: Curr Oncol Rep, (2000 Sep) 2 (5) 425-33. Ref: 56

Journal code: 100888967. ISSN: 1523-3790.

PUB. COUNTRY: United States

DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)

General Review; (REVIEW)

(REVIEW, TUTORIAL)

LANGUAGE: English

FILE SEGMENT: Priority Journals

ENTRY MONTH: 200107

ENTRY DATE: Entered STN: 20010716

Last Updated on STN: 20010716 Entered Medline: 20010712

AB Recent advances in molecular biology have substantially improved our understanding of the molecular genetics of primary brain neoplasms. Soon each histopathologic category of glioma will be further divided into subgroups according to similar genetic background, gene expression profile, and similarity of biologic responses to radiotherapy or chemotherapy. Identification of key molecules that are specifically altered in neoplastic cells will provide candidate molecular targets for tumor treatment. Novel therapeutic tools for targeting tumor cells, such as viral vectors for gene therapy, have been created. In the near future, the accumulation of new knowledge in brain tumor biology and genetics, combined with rational drug design, will revolutionize the treatment of malignant gliomas, which are among the most lethal human cancers.

COPYRIGHT 2003 Univentio ANSWER 3 OF 33 PCTFULL

2002059610 PCTFULL ED 20020809 EW 200231 ACCESSION NUMBER:

USING OVEREXPRESSION OF LAMININ ALPHA 4 SUBUNIT AS A TITLE (ENGLISH):

DIAGNOSTIC AND PROGNOSTIC INDICATOR OF MALIGNANT

TUMORS

UTILISATION DE LA SUREXPRESSION DE LA SOUS-UNITE DE TITLE (FRENCH):

LAMININE ALPHA 4 EN TANT QU'INDICATEUR DIAGNOSTIQUE ET

PRONOSTIQUE DE TUMEURS MALIGNES

LJUBIMOVA, Julia, Y.; LJUBIMOV, Alexander, V.; BLACK, INVENTOR(S):

Keith, L.

CEDARS-SINAI MEDICAL CENTER PATENT ASSIGNEE(S): STEINBERG, Nisan, A., Ph.D.

AGENT:

LANGUAGE OF FILING: English LANGUAGE OF PUBL.: English DOCUMENT TYPE: Patent

PATENT INFORMATION:

NUMBER KIND DATE

WO 2002059610 A2 20020801

AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR DESIGNATED STATES

CU CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PH PL PT RO RU SD SE SG SI SK

SL TJ TM TR TT TZ UA UG UZ VN YU ZA ZW GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW AM AZ BY KG KZ MD RU TJ TM AT

BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG

WO 2001-US50292 A 20011219 APPLICATION INFO .: US 2000-09/741,550 20001219 PRIORITY INFO.:

Disclosed is a method of diagnosing the presence of a malignant tumor, ABEN including a glioma, in a human subject, which involves detecting overexpression of laminin *4 subunit protein or laminin *4-specific mRNA, compared to the expression level in a normal tissue control. Also disclosed are a method of predicting the recurrence of a malignant

tumor

in a human subject from whom a malignant tumor has been resected and a method of classifying the grade of a malignant tumor, such as a glial tumor, based on a molecular classification.

L'invention concerne un procede de diagnostic de la presence de tumeurs ABFR malignes, y compris de gliomes, chez l'homme, qui implique la detection de la surexpression de la proteine de sous-unite de laminine α4

ou

d'un ARNm specifique de la laminine α 4, par comparaison avec le niveau d'expression dans un temoin tissulaire normal. L'invention concerne egalement un procede permettant de prevoir la recurrence d'une tumeur maligne chez un homme ayant subi une resection de tumeur

maligne,

ainsi qu'un procede de determination de la classe d'une tumeur maligne, telle qu'une tumeur gliale, sur la base d'une classification moleculaire.

COPYRIGHT 2003 Univentio ANSWER 4 OF 33 PCTFULL L14

2002057457 PCTFULL ED 20020801 EW 200230 ACCESSION NUMBER:

55562 AND 21617, NOVEL HUMAN PROTEINS AND METHODS OF TITLE (ENGLISH):

USE THEREOF

55562 ET 21617, NOUVELLES PROTEINES HUMAINES ET LEURS TITLE (FRENCH):

METHODES D'UTILISATION

MEYERS, Rachel, A.; BANDARU, Rajasekhar INVENTOR(S):

MILLENNIUM PHARMACEUTICALS, INC., for all designates PATENT ASSIGNEE(S):

States except US; MEYERS, Rachel, A., for US only;

BANDARU, Rajasekhar, for US only

COLLAZO, Diana, M. AGENT:

LANGUAGE OF FILING: English LANGUAGE OF PUBL.: English Patent DOCUMENT TYPE:

PATENT INFORMATION:

NUMBER KIND WO 2002057457 A2 20020725

AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR DESIGNATED STATES

CU CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ OM PH PL PT RO RU SD SE SG SI SK SL TJ TM TN TR TT TZ UA UG US UZ VN YU ZA ZM ZW GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW AM AZ BY KG KZ MD RU TJ TM AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN

TD TG

A 20011218 WO 2001-US49416 APPLICATION INFO .: US 2000-60/256,249 20001218 PRIORITY INFO.: 20001218

US 2000-60/256,405

The invention provides isolated nucleic acids molecules, designated ABEN 21617 and 55562 nucleic acid molecules, which encode novel dehydrogenase

or tetratricopeptide repeat members. The invention also provides antisense nucleic acid molecules, recombinant expression vectors containing 21617 or 55562 nucleic acid molecules, host cells into which the expression vectors have been introduced, and nonhuman transgenic animals in which a 21617 or 55562 gene has been introduced or

disrupted. The invention still further provides isolated 21617 or 55562 proteins, fusion proteins, antigenic peptides and anti-21617 or 55562 antibodies. Diagnostics methods utilizing compositions of the invention are also

provided. La presente invention concerne des molecules d'acides nucleiques isolees, designees sous le nom de molecules d'acides nucleiques 21617

et

ABFR

55562, codant de nouvelles repetitions de la deshydrogenase ou du tetratrichopeptide. L'invention concerne egalement des molecules d'acides nucleiques antisens, des vecteurs d'expression recombines contenant ces molecules d'acides nucleiques 21617 ou 55562, des

cellules

hotes dans lesquelles ces vecteurs d'expression ont ete introduits et des animaux transgeniques non humains dans lesquels le gene 21617 ou 55562 a ete introduit ou interrompu. L'invention concerne egalement des proteines 21617 ou 55562 isolees, des proteines hybrides, des peptides antigeniques et des anticorps anti-21617 ou 55562. L'invention concerne egalement des methodes diagnostiques utilisant des compositions de la

presente invention.

ANSWER 11 OF 23 SCISEARCH COPYRIGHT 2003 ISI (R) L2

2000:49185 SCISEARCH ACCESSION NUMBER:

THE GENUINE ARTICLE: 273BX

TITLE:

Cell-type specific expression in the pituitary:

physiology

and gene therapy

AUTHOR:

Castro M G (Reprint); Windeatt S; SmithArica J;

Lowenstein

CORPORATE SOURCE:

UNIV MANCHESTER, SCH MED, MOL MED UNIT, ROOM I-302,

OXFORD

RD, MANCHESTER M13 9PT, LANCS, ENGLAND (Reprint)

COUNTRY OF AUTHOR:

ENGLAND

SOURCE:

BIOCHEMICAL SOCIETY TRANSACTIONS, (DEC 1999)

Vol. 27, Part 6, pp. 858-863.

Publisher: PORTLAND PRESS, 59 PORTLAND PLACE, LONDON W1N

3AJ, ENGLAND. ISSN: 0300-5127.

DOCUMENT TYPE:

Article; Journal

FILE SEGMENT:

LIFE

LANGUAGE:

English

REFERENCE COUNT:

49

L2 ANSWER 18 OF 23 SCISEARCH COPYRIGHT 2003 ISI (R)

ACCESSION NUMBER: 1998:946863 SCISEARCH

THE GENUINE ARTICLE: 146TR

TITLE: The cytogenesis and pathogenesis of pituitary adenomas

AUTHOR: Asa S L (Reprint); Ezzat S

CORPORATE SOURCE: MT SINAI HOSP, DEPT PATHOL & LAB MED, 600 UNIV AVE,

TORONTO, ON M5G 1X5, CANADA (Reprint); MT SINAI HOSP,

DEPT

MED, TORONTO, ON M5G 1X5, CANADA; UNIV TORONTO, DEPT LAB

MED & PATHOBIOL, TORONTO, ON M5G 1X5, CANADA; UNIV

TORONTO, DEPT MED, TORONTO, ON M5G 1X5, CANADA

COUNTRY OF AUTHOR:

CANADA

SOURCE:

ENDOCRINE REVIEWS, (DEC 1998) Vol. 19, No. 6,

pp. 798-827.

Publisher: ENDOCRINE SOC, 4350 EAST WEST HIGHWAY SUITE

500, BETHESDA, MD 20814-4110.

ISSN: 0163-769X.

DOCUMENT TYPE:

General Review; Journal

FILE SEGMENT:

LIFE

LANGUAGE:

English

REFERENCE COUNT:

361

ANSWER 16 OF 23 SCISEARCH COPYRIGHT 2003 ISI (R)

1999:271844 SCISEARCH ACCESSION NUMBER:

THE GENUINE ARTICLE: 182EY

The pathology of pituitary tumors TITLE:

Asa S L (Reprint) AUTHOR:

MT SINAI HOSP, DEPT PATHOL & LAB MED, 600 UNIV AVE, CORPORATE SOURCE:

TORONTO, ON M5G 1X5, CANADA (Reprint); UNIV TORONTO, DEPT LAB MED & PATHOBIOL, TORONTO, ON, CANADA

COUNTRY OF AUTHOR: CANADA

SOURCE:

ENDOCRINOLOGY AND METABOLISM CLINICS OF NORTH AMERICA, (

MAR 1999) Vol. 28, No. 1, pp. 13-&.

Publisher: W B SAUNDERS CO, INDEPENDENCE SQUARE WEST CURTIS CENTER, STE 300, PHILADELPHIA, PA 19106-3399.

ISSN: 0889-8529.

DOCUMENT TYPE:

General Review; Journal

FILE SEGMENT: LANGUAGE:

LIFE; CLIN English

153 REFERENCE COUNT:

ABSTRACT IS AVAILABLE IN THE ALL AND IALL FORMATS

The pathologist plays an important role in the distinction of AΒ pituitary

adenomas from other tumors and tumor-like lesions of the sellar region, and in the accurate morphologic characterization of pitutiary adenomas. A clinicopathologic classification of pituitary adenomas is based on cell differentiation correlated with clinical evidence of hormone secretion; this classification emphasizes clinically relevant features that can offer

quidance for patient management. The application of a rational approach to

the immunohistochemical analysis of these lesions can be used to evaluate pathogenetic and prognostic markers and to predict responses to specific therapeutic modalities.